

Subsidiary Mathematics

for Rwanda Secondary Schools

Teacher's Guide Book 4

Writing Team

Ngezahayo Emmanuel

Icyingeneye Pacifique

FOUNTAIN PUBLISHERS
www.fountainpublishers.co.ug

Fountain Publishers Rwanda Ltd

P.O. Box 6567

Kigali, Rwanda

E-mail: fountainpublishers.rwanda@gmail.com
sales@fountainpublishers.co.ug;
publishing@fountainpublishers.co.ug

Website: www.fountainpublishers.co.ug

© Fountain Publishers 2016

First printed 2016

All rights reserved; no part of this book may be reproduced, stored in a retrieval system, or transmitted in any form or by means, electronic, mechanical, photocopying, recording or otherwise; without prior written permission from the authors and the publishers.

ISBN: 978-9970-19-366-0

Contents

<i>Preface</i>	<i>iv</i>
<i>General introduction</i>	<i>v</i>
<i>Content map</i>	<i>viii</i>
<i>Guidance about how to use the Learner’s Book (Scheme of work)</i>	<i>xvi</i>
<i>Examples of lesson plan</i>	<i>xxviii</i>
<i>Effective tips for brighter learners</i>	<i>xxxv</i>
<i>Effective tips for slow learners</i>	<i>xxxv</i>
<i>Extension knowledge and ideas for teachers</i>	<i>xxxvi</i>
<i>Additional activities</i>	<i>xxxix</i>
<i>General Methodology</i>	<i>xliii</i>
Unit 1. Fundamentals of Trigonometry	1
Unit 2. Set of Real Numbers.....	13
Unit 3. Linear, Quadratic Equations and Inequalities	19
Unit 4. Polynomial, Rational and Irrational functions	37
Unit 5. Limits of Polynomial, Rational and Irrational functions.....	45
Unit 6. Differentiation of Polynomial, Rational and Irrational functions ..	57
Unit 7. Vector Space of Real numbers.....	67
Unit 8. Matrices and Determinants of order two	71
Unit 9. Measures of Dispersion.....	75
Unit 10. Elementary Probability.....	81

Preface

To help the teacher to use the Subsidiary Mathematics-Learner's Book S4, that book also has a Teacher's Guide to go with it.

It is for this reason that we developed this teacher's guide to give pieces of advice about teaching particular units. This teacher's guide does not try to explain how to teach the whole subject and also does not turn into a training course for teachers. It gives the general introduction to the new curriculum the differences between the competence-based and knowledge-based approach. It contains guidance for the teacher about teaching the subject and on assessment both formative and summative. This teacher's guide contains some examples of lesson plan and scheme of work.

We hope that this teacher's guide for Subsidiary Mathematics-S4 will help teachers about teaching Subsidiary Mathematics-S4.

General introduction

1 General introduction to the new

The curriculum for Rwandan schools at primary and secondary levels has been changed from knowledge and content bases to competence based (CBE). CBE is of great importance in aligning Rwanda's education to the social and economic demands of society. It also presents answers to concerns about the capability and employability of school graduates.

2 General guidance to teachers

In Subsidiary mathematics-Learner's Book S.4, there are ten units. There are many activities to be done by learners before a new lesson. This will help learners to understand well the lesson. Teacher must help learners to do those activities. Form groups of at least six learners and let them do the activities in those groups. At the end of the lesson, there is a series of exercises which summarise the lesson taught. As a teacher, let the learners do those exercises and correct them on a chalkboard.

Also at the end of each unit, there is a series of exercises which summarise the whole unit.

3 List of equipments needed for the subject

Learners will need geometric instruments for sketching curves and scientific calculators for some calculations.

4 General guidance on assessment both formative and summative

Assessment is the use of a variety of procedures to collect information about learning and instruction. Formative assessment is commonly referred to as assessment for learning, in which the focus is on monitoring a learner's response to and progress with instruction. Summative assessment provides immediate feedback

to both the teacher and learner regarding the learning process. Formative and summative assessments contribute in different ways to the larger goals of the assessment process.

The teacher must provide oral or written feedback to learners' discussion or work. For example, a teacher responds orally to a question asked in class; provides a written comment in a response or reflective journal; or provides feedback on learner's work.

At the end of each lesson, the teacher must give to the learners a small evaluation to see if they understood the lesson. Also at the end of the units, the teacher must give the general test which summarises the whole unit. When assessments reflect the stated learning objectives, a well-designed end of unit test provides teachers with information about individual learners (identifying any learner who failed to meet objectives), as well as provides an overall indication of classroom instruction.

Although formative and summative assessments serve different purposes, they should be used ultimately within an integrated system of assessment, curriculum, and instruction. To be effective in informing the learning process, assessments must be directly integrated with theories about the content, instruction, and the learning process and must be valid and reliable for the purposes for which they are used.

5 Guidance on grading and reporting

Academic achievement may be measured in a variety of ways, including compositions, presentations, oral discussion, learner work samples, observations, tests, and the products of project-based learning activities. Teachers should use the most current summative assessment data when determining achievement marks for the progress report. When determining what marks to use on daily and weekly assignments, remember that these marks should not conflict with the grades on the progress report. Teachers should not use letter grades when marking papers.

Some options may include:

- Raw scores or ratios (11/12 correct).
- Written feedback.
- Rubric scores (if using 4, 3, 2, or 1 on papers, there should be guidance as to what these marks mean).

Keep in mind that work that is sent home provides parents with a general impression of how learners are achieving in school but does not provide a complete picture. Other assessment data are collected that encompasses the progress report grade and some of these assessments are not sent home. Communication regarding progress should be ongoing.

Homework can be considered as part of the effort grade, but would not be used to grade academic achievement in elementary school since the function of Homework is to provide practice in skill areas.

Achievement marks will be reported on a 4-point scale and cannot be equated to former guidelines for letter grades. A grade of “4” indicates a high level of achievement; it communicates that a learner has a strong understanding of all the concepts and skills taught for that standard during the quarter and can demonstrate understanding independently and with very few errors. When determining grades for learners, teachers should consider the most current assessment data as evidence of learning. Earlier assessments may no longer be relevant if learners have demonstrated further progress.

Content map

The following table summarises every unit in Learner's Book.

	Unit 1 Fundamentals of trigonometry	Unit 2 Set IR of real numbers
Number of periods	15 + Homework	12 + Homework
Introduction	Trigonometry studies relationship involving lengths and angle of a triangle. Trigonometry is really relevant in our day to day activities. In this unit, we will see how we can use this to resolve problems we might encounter.	Powers are a convenient way of writing multiplications that have many repeated factors. An expression that has a square root, cube root, ... etc is called a radical expression. A logarithm is the power to which a number must be raised in order to get some other number. In finance and business logarithms can be useful for calculating compound interest.
Classroom organisation	Whole class orientation; then working in groups.	Whole class orientation; then working in groups.
Equipment required	<ul style="list-style-type: none"> • Note books and pens • Manila papers and markers • Instruments of geometry • Scientific calculator 	<ul style="list-style-type: none"> • Note books and pens • Manila papers and markers • Instruments of geometry • Scientific calculator
Activities	Group work, Practical, home work and research	Group discussion, pairing and home work
Competences practiced	<ul style="list-style-type: none"> • Team work. • Creativity. • Research. 	Team work, data analysis.
Language practice	Discussion in group, presentation of findings.	Presenting result obtained in activities.
Vocabulary acquisition	<ul style="list-style-type: none"> • Trigonometry. • Radian. • Grade. 	Logarithm.
Study skills	Descriptive, drawing	<ul style="list-style-type: none"> • Writing a power in factor form. • Find the absolute value of a real number.
Revision	Revision exercises provided.	Revision exercises provided.
Assessments	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments. 	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments.

	Unit 1 Fundamentals of trigonometry	Unit 2 Set IR of real numbers
Learning outcomes	<ul style="list-style-type: none"> • Define sine, cosine, and tangent (cosecant, secant and cotangent) of any angle – know special values, • Convert radians to degree and vice versa. • Differentiate between complementary angles, supplementary angles and co-terminal angles. • Use trigonometric identities. • Apply trigonometric formulae in real world problems. 	<ul style="list-style-type: none"> • Define a power, an exponential, a radical, a logarithm, the absolute value of a real number. • Illustrate each property of a power, an exponential, a radical, a logarithm, the absolute value of a real number. • Use logarithm and exponentials to model simple problems about growth, decay, compound interest, magnitude of an earthquake ...
	Unit 3 Linear, quadratic equations and inequalities	Unit 4 Polynomial, rational and irrational functions
Number of periods	12 + Homework	9+ Homework
Introduction	<p>An equation is statement that the values of two mathematical expressions are equal while an inequality is a statement that the values of two mathematical expressions are not equal.</p> <p>A quadratic equation is an equation of degree 2, means that the highest exponent is 2. There are many financial decisions we make everyday based on how much we earn, less all our expenses, then we say we can spend up to x on a new purchase or you put x in a savings account, or something else. These are all inequalities. Quadratics equations and inequalities are useful in calculating areas, figuring out profits, finding speeds, athletics...</p>	<p>A polynomial is an expression that can have constants, variables and exponents that can be combined using addition, subtraction, multiplication and division. Polynomials are used to describe curves of various types; people use them in the real world to draw graph curves.</p>

	Unit 3 Linear, quadratic equations and inequalities	Unit 4 Polynomial, rational and irrational functions
Classroom organisation	Whole class orientation; then working in groups.	Whole class orientation; then working in groups.
Equipment required	<ul style="list-style-type: none"> • Note books and pens • Manila papers and markers • Instruments of geometry • Scientific calculator 	<ul style="list-style-type: none"> • Note books and pens • Instruments of geometry • Scientific calculator
Activities	Group discussion, home work and research	Group discussion, class or home work and research
Competences practiced	Calculation and creativity.	Creativity, data analysis, communication skills.
Language practice	Communication skills.	Presenting result obtained in activities.
Vocabulary acquisition	Parameter, roots, discriminant.	
Study skills	Calculation, solving, discussion, explanation,....	Solving, modelling and creativity.
Revision	Revision exercises provided.	Revision exercises provided.
Assessments	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments. 	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments.
	<ul style="list-style-type: none"> • Solve linear or quadratic equation. • Discuss the solution of parametric equation of the first degree or second degree. • Solve linear or quadratic inequality. • Discuss the solution of parametric inequality of the first degree. • Solve a system of linear or quadratic equations • Use equations and inequalities to solve word problems. • Apply equations and inequalities in real life problems. 	<ul style="list-style-type: none"> • Factorisation of polynomials. • Generalities on numerical functions. • Application of rational and irrational functions.

	Unit 5 Limits of polynomial, rational and irrational functions	Unit 6 Differentiation of polynomials, rational and irrational functions
Number of periods	9 + Homework	9+ Homework
Introduction	<p>The limit of a function is a fundamental concept in calculus and analysis concerning the behaviour of that function near a particular point.</p> <p>Limits are also used to find the velocity and acceleration of a moving particle.</p>	<p>Calculus is concerned with things that do not change at a constant rate. The values of the function called the derivative will be that varying rate of change. Derivatives are met in many engineering and science problems, especially when modeling the behaviour of moving objects.</p>
Classroom organisation	Whole class orientation; then working in groups.	Whole class orientation; then working in groups.
Equipment required	<ul style="list-style-type: none"> • Note books and pens • Manila paper and markers • Instruments of geometry • Scientific calculator 	<ul style="list-style-type: none"> • Note books and pens • Manila paper and markers • Instruments of geometry • Scientific calculator
Activities	Group discussion, homework and research	Group discussion, practical, homework and research
Competences practiced	Use limits of a function in daily life.	Use derivative in daily life.
Language practice	Presenting result obtained in activities.	Presenting result obtained in activities.
Vocabulary acquisition	Limit. Asymptote.	Derivative.
Study skills	Analysis, explanation, discussion.	Finding limit of a function, explanation, calculation, creativity.
Revision	Revision exercises provided.	Revision exercises provided.
Assessments	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments. 	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments.
Learning outcomes	<ul style="list-style-type: none"> • Concepts of limits. • Indeterminate cases. • Applications. 	<ul style="list-style-type: none"> • Concepts of derivative of a function. • Rules of differentiation. • Apply the concepts of and techniques of differentiation to model, analyze and solve rates or optimization problems in different situations.

	Unit 7 Vectors space of real numbers	Unit 8 Matrices and determinants of order 2
Number of periods	6+ Homework	9+ Homework
Introduction	A vector space (also called a linear space) is a collection of objects called vectors, which may be added together and multiplied by numbers, called scalars in this context. To put it really simple, vectors are basically all about directions and magnitudes. These are critical in basically all situations.	A matrix is a rectangular arrangement of numbers, expressions, symbols which are arranged in rows and columns. Matrices play a vital role in the projection of a three dimensional image into a two dimensional image. Matrices are used for taking seismic surveys.
Classroom organisation	Whole class orientation; then working in groups.	Whole class orientation; then working in groups.
Equipment required	<ul style="list-style-type: none"> • Note books and pens • Manila paper and markers • Instruments of geometry • Scientific calculator 	<ul style="list-style-type: none"> • Note books and pens • Scientific calculator
Activities	Group discussions, practical, class or home work and research	Group discussions, homework and research
Competences practiced	Vector space in daily life.	Use matrices in daily life.
Language practice	Presenting result obtained in activities.	Presenting result obtained in activities.
Vocabulary acquisition		Logarithm.
Study skills	Calculation, analysis.	Calculus, analysis and creativity.
Revision	Revision exercises provided.	Revision exercises provided.
Assessments	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments. 	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments.

	Unit 7 Vectors space of real numbers	Unit 8 Matrices and determinants of order 2
Learning outcomes	<ul style="list-style-type: none"> • Define and apply different operations on vectors. • Define linear combination of vectors. • Find the norm of a vector. • Calculate the scalar product of two vectors. • Calculate the angle between two vectors. • Apply and transfer the skills of vectors to other area of knowledge. 	<ul style="list-style-type: none"> • Concepts of matrices. • The inverse of a matrix of order 2. • Operations on matrices of order 2. • Determine the matrix of a linear transformation in 2D. • Construct the matrix of the inverse of an isomorphism of \mathbb{R}^2. • The matrix of geometric transformation in 2D.
	Unit 9 Measures of dispersion	Unit 10 Elementary probability
Number of periods	7 + Homework	21+ Homework
Introduction	The word dispersion has a technical meaning in statistics. The average measures the centre of the data. It is one aspect observations. The study of dispersion is very important in statistical data.	Probability is a common sense for scholars and people in modern days. It is the chance that something will happen-how likely it is that some event will happen. Some applications of the probability theory are character recognition, speech recognition, opinion survey, missile control, seismic analysis...
Classroom organisation	Whole class orientation; then working in groups.	Whole class orientation; then working in groups.
Equipment required	<ul style="list-style-type: none"> • Note books and pens • Manila paper and markers • Instruments of geometry specifically a ruler • Scientific calculator 	<ul style="list-style-type: none"> • Note books and pens • Instruments of geometry ruler • Scientific calculator
Activities	Group discussions, class or home work and research	Group discussions, practical, class or home work and research
Competences practiced	Use measures of dispersion when interpreting data.	Use combinatorial analysis in daily life. Use probability in game theory.

	Unit 9 Measures of dispersion	Unity 10 Elementary probability
Language practice	Presenting result obtained in activities.	Presenting result obtained in activities.
Vocabulary acquisition	Variance. Standard deviation. Coefficient of variation.	<ul style="list-style-type: none"> • Combinatorial • Arrangement • Permutation • Combination • Probability • Sample space • Event
Study skills	Calculation, analysis and interpretation of result.	Counting, critical thinking, explanation, creativity and interpretation.
Revision	Revision exercises provided.	Revision exercises provided.
Assessments	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments. 	<ul style="list-style-type: none"> • Formative assessments. • Summative assessments.
Learning outcomes	<ul style="list-style-type: none"> • Determine measures of dispersion. • Variance. • Standard deviation (including combined set of data). • Coefficient of variation. • Apply and explain the standard deviation as the more convenient measure of the variability in the interpretation of data. 	<ul style="list-style-type: none"> • Construct Pascal's triangle. • Distinguish between permutations and combinations. • Determine the number of permutations and combinations of "n" items, "r" taken at a time. • Determine the sample space of an experiment. • Explain different concept relating to events. • Find probability of different events. • Determine probability of an event with an equiprobable sample space.

Guidance about how to use the Learner's Book (Scheme of work)

Unit plan/ scheme of work 1

Academic year:

Term: One

Subject: MATHEMATICS

Teacher's name:

Dates & number of lessons (periods) in a week		Units + Key Unit competences	Lessons + evaluation
1	From .../...(Mon) to .../...(Friday) 3 periods	Unit 1 Fundamentals of trigonometry No. of lessons:15	Angle and its measurements Unit circle
2	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Use the trigonometric concepts and formulas to solve related problems in Physics, Air navigation, Water navigation, bearings, Surveying, ...	Trigonometric ratios Evaluation 1
3	From .../...(Mon) to .../...(Friday) 3 periods	Learner's Book pages 1-34	Trigonometric identities Evaluation 2
4	From .../...(Mon) to .../...(Friday) 3 periods		Triangles and applications: • Bearing
5	From .../...(Mon) to .../...(Friday) 3 periods		• Air • Navigation • Inclined plane...
6	From .../...(Mon) to .../...(Friday) 3 periods	Unit 2 Set of real numbers No. of lessons:12	Absolute value and its properties Evaluation 1

School:

Class + Combination: S.4:

	Learning objectives	Teaching methods & techniques + Evaluation procedures	Resources & references	Observations
	<ul style="list-style-type: none"> Convert radians to degree and vice versa, Represent graphically sine, cosine and tangent, functions and, together with the unit circle. 	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment Charts ICT Tools 	
	<ul style="list-style-type: none"> Define sine, cosine, and tangent (cosecant, secant and cotangent) of any angle and know special values. 			
	<ul style="list-style-type: none"> Use trigonometric identities 			
	<ul style="list-style-type: none"> Use trigonometry, including the sine and cosine rules, to solve problems involving triangles 			
	Determine the restrictions on the variables in rational and irrational expressions	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment ICT Tools 	

7	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Think critically to understand and perform operations on the set of real numbers	Powers and radicals Evaluation 2
8	From .../...(Mon) to .../...(Friday) 3 periods	Learner's Book pages 33-48	Decimal Logarithms Evaluation 3
9	From .../...(Mon) to .../...(Friday) 3 periods		Properties and applications.
10	From .../...(Mon) to .../...(Friday) 3 periods	Unit 3 Linear, quadratic equations and inequalities	Equations and inequalities in one unknown Evaluation 1
11	From .../...(Mon) to .../...(Friday) 3 periods	No. of lessons:12	Simultaneous equations in two unknowns ... Evaluation 2
12	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Model and solve algebraically or graphically daily life problems using linear equations or inequalities Learner's Book pages 49-104	Applications: • Economics (Problems about supply and demand analysis, ...)
			SUMMATIVE EVALUATION

	<ul style="list-style-type: none"> • Illustrate each property of a power, an exponential, a radical, a logarithm, the absolute value of a real number • Use logarithm and exponentials to model simple problems about growth, decay, compound interest, magnitude of an earthquake ... 			
	<ul style="list-style-type: none"> • List and clarify the steps in modeling a problem by linear equations and inequalities. 	<ul style="list-style-type: none"> - Group discussions - Questioning - Research - Team work 	<ul style="list-style-type: none"> - Text books - Internet - Local environment - Charts - ICT Tools 	
	<ul style="list-style-type: none"> • Solve linear equations and simultaneous equations on a graph paper. 			
	<ul style="list-style-type: none"> • Appreciate, value and care for situations involving to linear, quadratic equations and inequalities in daily life situation. 			

Unit plan/ scheme of work 2

Academic year:

Term: TWO

Subject: MATHEMATICS

Teacher's name:

Dates & number of lessons (periods) in a week		Units + Key unit competences	Lessons + Evaluation
1	From .../...(Mon) to .../...(Friday) 3 periods	Unit 3 Linear, quadratic equations and inequalities(cont.)	Applications: <ul style="list-style-type: none"> • Physics (Linear motions, electric circuits, projectile motions, ...). • Chemistry (Balancing equations,...) • Masonry (Arched shape...)
2	From .../...(Mon) to .../...(Friday) 3 periods	Unit 4 Polynomial, rational and irrational functions No. of lessons:9	Generalities on numerical functions: <ul style="list-style-type: none"> • Definitions • Domain and range of a function. Evaluation 1
3	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Use concepts and definitions of polynomial, rational and irrational functions to determine the domain of polynomial, rational and irrational functions and represent them graphically in simple cases...	Parity of a function (odd or even). Evaluation 2
4	From .../...(Mon) to .../...(Friday) 3 periods	Learner's Book pages 103-136	Graphical representation of linear and quadratic functions and their use and interpretation in Economics, Physics... Evaluation 3
5	From .../...(Mon) to .../...(Friday) 3 periods	Unit 5 Limits of polynomial, rational and irrational functions No. of lessons:9	Concepts of limits Evaluation 1

School:

Class + Combination: S4:

	Learning objectives	Teaching methods & techniques + evaluation procedures	Resources & references	Observations
	<ul style="list-style-type: none"> Appreciate, value and care for situations involving to linear, quadratic equations and inequalities in daily life situation. 	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment Charts ICT Tools 	
	Determine the domain and range of a function.	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment Charts ICT Tools 	
	Find whether a function is even, odd, or neither.			
	Analyse, model and solve problems involving linear or quadratic functions and interpret the results.			
	<ul style="list-style-type: none"> Calculate limits of certain elementary functions. Removing indeterminate forms. 	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment Charts ICT Tools 	

6	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Evaluate correctly limits of functions and apply them to solve related problems	Indeterminate cases: $\frac{\infty}{\infty}, \frac{0}{0}, \infty - \infty, 0 \cdot \infty$ Evaluation 2
7	From .../...(Mon) to .../...(Friday) 3 periods	Learner's Book pages 133-192	Applications: <ul style="list-style-type: none"> • Continuity of a function at a point or on interval I • Asymptotes Evaluation 3
8	From .../...(Mon) to .../...(Friday) 3 periods	Unit 6 Differentiation of polynomials, rational and irrational functions and their applications	Concepts of derivative of a function Evaluation 1
9	From .../...(Mon) to .../...(Friday) 3 periods	No. of lessons:9	Rules of differentiation Evaluation 2
10	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Use the gradient of a straight line as a measure of rate of change and apply this to line tangent and normal of curves in various. Learner's Book pages 193-242	Applications of differentiation Evaluation 3
11	From .../...(Mon) to .../...(Friday) 3 periods	Unit 7 Vectors space of real numbers No. of lessons:6	<ul style="list-style-type: none"> • Dot product and properties • Modulus or Magnitude of vectors Evaluation 1
12		Key unit competence: Use concepts of vectors in 2D to solve related problems such as distance, angles... Learner's Book pages 243-252	<ul style="list-style-type: none"> • Angle between two vectors Applications
			SUMMATIVE EVALUATION

<ul style="list-style-type: none"> • Solve problems involving continuity 			
<ul style="list-style-type: none"> • Use the concepts of limits to calculate the asymptotes to the rational functions. 			
<ul style="list-style-type: none"> • Evaluate derivatives of functions using the definition of derivative. 	<ul style="list-style-type: none"> - Group discussions - Questioning - Research - Team work 	<ul style="list-style-type: none"> -Text books - Internet -Local environment - Charts - ICT Tools 	
<ul style="list-style-type: none"> • Evaluate derivative using rules of derivative. 			
Use first principles to determine the gradient of a straight line at a point.			
<ul style="list-style-type: none"> • Calculate the scalar product of two vectors. • Find the magnitude of a vector. 	<ul style="list-style-type: none"> - Group discussions - Questioning - Research - Team work 	<ul style="list-style-type: none"> - Text books - Internet - Local environment - Charts - ICT Tools 	
<ul style="list-style-type: none"> • Determine the angle between two vectors • Apply and transfer the skills of vectors to other area of knowledge. 			

Unit plan/ scheme of work 3

Academic year:

Term: Three

Subject: Mathematics

Teacher's name:

Dates & number of lessons (periods) in a week		Units + Key unit competences	Lessons + evaluation
1	From .../...(Mon) to .../...(Friday) 3 periods	Unit 8 Matrices of and determinants of order 2 No. of lessons:9 Key unit competence: Use matrices and determinants of order 2 to solve other related problems such as organisation of data in a shopping, in Cryptography, in Physics (problems about quantum or circuits), ... Learner's Book pages 253-267	Definition of matrix Operations on matrix of order 2: – Equality of matrices – Addition – Multiplication by a scalar – Multiplication of matrices – Transpose of a matrix Evaluation 1
2	From .../...(Mon) to .../...(Friday) 3 periods		Determinant and inverse of a square matrix • Determinant and properties Evaluation 2
3	From .../...(Mon) to .../...(Friday) 3 periods		• Inverse of a square matrix Applications Evaluation 3
4	From .../...(Mon) to .../...(Friday) 3 periods	Unit 9 Measures of dispersion No. of lessons: 6	• Variance • Standard deviation Evaluation 1

School:

Class + Combination: S4:

	Learning objectives	Teaching methods & techniques + evaluation procedures	Resources & references	Observations
	<ul style="list-style-type: none"> Define the order of a matrix. Define operations on matrices of order 2. Perform operations on matrices of order 2. 	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment ICT Tools 	
	Show that a square matrix of order 2 is invertible or not.			
	Determine the inverse of a matrix of order 2 Use matrices to solve problems.			
	<ul style="list-style-type: none"> Determine variance Determine standard deviation 	<ul style="list-style-type: none"> Group discussions Questioning Research Team work 	<ul style="list-style-type: none"> Text books Internet Local environment ICT Tools 	

5	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Extend understanding, analysis and interpretation of data arising from problems and questions in daily life to include the standard deviation. Learner's Book pages 269-282	<ul style="list-style-type: none"> • Coefficient of variation • Applications Evaluation 2
6	From .../...(Mon) to .../...(Friday) 3 periods	Unit 10 Elementary probability No. of lessons: 21	Counting techniques: <ul style="list-style-type: none"> • Venn diagram • Tree diagrams • Contingency table Evaluation 1
7	From .../...(Mon) to .../...(Friday) 3 periods	Key unit competence: Use combinations and permutations to determine probabilities of occurrence of an event.	<ul style="list-style-type: none"> • Multiplication principles Arrangement and Permutations Evaluation 2
8	From .../...(Mon) to .../...(Friday) 3 periods	Learner's Book pages 283-334	Combinations Evaluation 3
9	From .../...(Mon) to .../...(Friday) 3 periods		
10	From .../...(Mon) to .../...(Friday) 3 periods		Concepts of probability Evaluation 4
11	From .../...(Mon) to .../...(Friday) 3 periods		Properties and formulae Evaluation 5
12	From .../...(Mon) to .../...(Friday) 3 periods		SUMMATIVE EVALUATION

	<ul style="list-style-type: none"> • Determine coefficient of variation • Use measures of dispersion in data analysis. 			
	<p>Use counting techniques to solve related problems. solve problems involving factorial notation.</p>	<ul style="list-style-type: none"> - Group discussions - Questioning - Research - Team work 	<ul style="list-style-type: none"> - Text books - Internet - Local environment - ICT Tools 	
	<p>Determine the number of permutations and combinations of “n” items, “r” taken at a time. Use properties of combinations for finding coefficients in Pascal’s triangle.</p>			
	<p>Use and apply elementary properties of probability to calculate the number possible outcomes of occurring event under equally likely assumptions.</p>			

Examples of lesson plan

Example 1

Academic year:

Term: TWO

School:

Subject: Mathematics

Teacher's name:

Class + Combination: S4.....

Term	Date	Subject	Class	Unit N°	Lesson N°	Duration	Class size
2	Mathematics	4	40 minutes
<p>Type of special educational needs and number of learners</p> <p>4 low vision learners. To avail big printed documents and facilitate these learners. Avoid making a group of low vision only otherwise it can be considered as segregation.</p> <p>5 Gifted learners: to encourage them to explain, to each other and help their classmates.</p>							
Topic area:		ANALYSIS					
Sub-topic area:		FUNCTIONS					
Unit title		POLYNOMIAL, RATIONAL AND IRRATIONAL FUNCTIONS					
Key Unit Competence:		Use concepts and definitions of polynomial, rational and irrational functions to determine the domain of polynomial, rational and irrational functions and represent them graphically in simple cases...					
Title of the lesson		Domain of definition of a polynomial and a rational function.					
Instructional objective		Given polynomial function or irrational function, the learner should be able to determine their domain of definition accurately.					
Plan for this Class		Location: Classroom Learners are organized into groups of 6 and they have to do activity 3 in their groups.					
Learning Materials		Calculator					
References		Learner's Book					

Description of teaching and learning activity

In groups of 6, learners will do activity 3 and each group will report the result to the class. At the end of the lesson, an assignment to be discussed as an activity of the next lesson "Finding domain of definition of irrational function" will be given to the learners.

Timing for each step	Teacher's activities	Learners' activities	Competences and cross cutting issues to be addressed
Introduction 5 minutes	Ask questions on previous lesson. Question: Give three examples of; <ol style="list-style-type: none"> 1. polynomial function 2. rational function 	Respond to questions on the chalkboard Answers: Answers may vary. Ex: <ol style="list-style-type: none"> 1. $f(x) = x + 1$ $g(x) = x^2 + 3x - 3$ $g(x) = x^2 + 3x - 3$ 2. $f(x) = \frac{x+1}{3x+1}$ $g(x) = \frac{x^2 + 3x - 3}{x - 2}$ $h(x) = \frac{(x-4)^4}{x}$ 	Students are developing communication skills when they are explaining and sharing ideas
Body of the lesson 10 minutes	Step 1: Form groups of at least 6 learners each Request the learners to do activity 3 in their groups Goes round to check the progress of the discussion, and intervenes where necessary.	In their groups, learners will do activity 3 in Learner's Book page 177	Cooperation and interpersonal management developed through working in groups Communication: learners communicate and convey information and ideas through speaking when they are presenting their work.

<p>5 minutes</p>	<p>Step 2: Request a reporter from each group to present the work on the chalkboard.</p>	<p>Reporter represents the work. Learners interact through questions and comments. Answers: 1. No value 2. 0 3. 1</p>	<p>Self confidence: learners will gain self confidence competence when they are presenting their work</p>
<p>2 minutes</p>	<p>Step 3: Capture the main points from the presentation of the learners and summarise them as follows: Given that $f(x)$ is polynomial, then the domain of definition is the set of real numbers. That is $Domf = \mathbb{R}$ Given that $f(x) = \frac{g(x)}{h(x)}$ where $g(x)$ and $h(x)$ are polynomials, then the domain of definition is the set of real numbers excluding all values where the denominator is zero. That is $Domf = \{x \in \mathbb{R}: h(x) \neq 0\}$</p>	<p>Take notes in their note books.</p>	<p>The fact of being convinced without fighting peace, education and values are developed too.</p>
<p>Conclusion 3 minutes 7 minutes</p>	<p>Request learners to give the main points of the learned lesson Request learners to do exercises 3 in their respective groups. Goes round to check the progress of the discussion, and intervenes where necessary.</p>	<p>Summarize the learned lesson Work in groups</p>	

5 minutes	Request some learners to answer to the questions in exercises 3 on chalkboard. Ensures that the learners understood the learned lesson and decide to repeat the lesson or to continue with new lesson next time.	Do exercises on chalkboard.	
3 minutes	Give to the learners an individual evaluation (quiz). Lead into next lesson Give to the learners the the homework which will be an activity for the next lesson	Do the given quiz individually.	

Example 2

Academic year:

Term: THREE

School:

Subject: MATHEMATICS

Teacher's name:

Class + Combination: S4.....

Term	Date	Subject	Class	Unit N°	Lesson N°	Duration	Class size
3	Mathematics	8	40 minutes
Type of Special Educational Needs and number of learners							
Two slow learners: Creation of a fun environment and relate new concepts with previous one.							
Four talented learners: To encourage them to do their own research and learned lesson or lesson to be learned next time and explain to each other.							
Topic area:		Linear algebra					
Sub-topic area:		Linear transformation in 2 dimensions.					
Unit title		Matrices and determinants of order 2.					
Key Unit Competence:		Use matrices and determinants of order 2 to solve other related problems such as organization of data in a shopping, in Cryptography, in Physics (problems about quantum or circuits), ...					
Title of the lesson		Inverse of matrix					
Instructional objective		Given scientific calculator and matrix of order two, the learner should be able to find the inverse of matrix of order two accurately.					
Plan for this Class		Location: Classroom Learners are organized into groups of 6 and they have to do activity 2 Learner's Book page 263 in their groups.					
Learning Materials		Calculator					
References		Learner's Book					

Description of teaching and learning activity

In groups of 6 learners, each group will do the activity 2 and will report the result to the class. At the end of the lesson, they are given an assignment to be discussed as an iactivity of the next lesson “Solving simultaneous equations”.

Timing for each step	Teacher's activities	Learners' activities	Competences and cross cutting issues to be addressed
Introduction 5 minutes	Ask questions on previous lesson. Question: Find the following determinants 1. $\begin{vmatrix} 11 & 0 \\ 6 & 3 \end{vmatrix}$ 2. $\begin{vmatrix} 6 & -2 \\ 1 & 3 \end{vmatrix}$ 3. $\begin{vmatrix} 4 & 2 \\ 2 & 1 \end{vmatrix}$ 4. $\begin{vmatrix} 3 & 5 \\ 6 & 5 \end{vmatrix}$	Respond to questions on the chalkboard. Answers: 1. 27 2. 20 3. 0 4. -15	Students are developing communication skills when they are explaining and sharing ideas.
Body of the lesson 10 minutes	Step 1: Form groups of at least 6 learners each Request the learners to do activity 2 in their groups. Goes round to check the progress of the discussion, and intervenes where necessary.	In their groups, learners will do activity 2 in Exercise books.	Cooperation and interpersonal management developed through working in groups

10 minutes	<p>Step 2: Rerter from each group to present the work on the chalkboard.</p>	<p>Reporter represents the work. Learners interact through questions and comments. Answers:</p> <ul style="list-style-type: none"> • $\begin{pmatrix} 3 & -2 \\ -6 & 10 \end{pmatrix}$ • $\begin{vmatrix} 10 & 2 \\ 6 & 3 \end{vmatrix} =$ $= 30 - 12 = 18$ • $\frac{1}{18} \begin{pmatrix} 3 & -2 \\ -6 & 10 \end{pmatrix}$ 	
5 minutes	<p>Step 2: Request a reporter from each group to present the work on the chalkboard.</p>	<p>Reporter represents the work. Learners interact through questions and comments. Answers:</p> $\frac{1}{18} \begin{pmatrix} 3 & -2 \\ -6 & 10 \end{pmatrix}$ <p>The product is $\begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ which is the identity matrix</p>	<p>Communication: learners communicate and convey information and ideas through speaking when they are presenting their work.</p> <p>Self confidence: learners will gain self confidence competence when they are presenting their work</p>
2 minutes	<p>Step 3: Capture the main points from the presentation of the learners and summarise them as follows: Consider the following matrix</p> $A = \begin{pmatrix} a & c \\ b & d \end{pmatrix}$	<p>Take notes in their note books.</p>	

	<p>The inverse of A is</p> $A^{-1} = \frac{1}{\det A} \begin{pmatrix} d & -c \\ -b & a \end{pmatrix}$		
<p>Conclusion 3 minutes</p>	<p>If the determinant is zero, the matrix has no inverse. Request learners to give the main points of the learned lesson</p>	<p>summarize the learned lesson</p>	
<p>7 minutes</p>	<p>Request learners to do exercises 2 in their respective groups Goes round to check the progress of the discussion, and intervenes where necessary.</p>	<p>Work in groups</p>	
<p>5 minutes</p>	<p>Request some learners to answer to the questions in exercises 2 on chalkboard. Ensures that the learners understood the learned lesson and decide to repeat the lesson or to continue with new lesson next time.</p>	<p>Do exercises on chalkboard.</p>	
<p>3 minutes</p>	<p>Give to the learners an individual evaluation (quiz). Lead into next lesson Give to the learners the the homework which will be an activity for the next lesson</p>	<p>Do the given quiz individually.</p>	

Effective tips for brighter learners

The teacher must encourage learners to;

1. explain to each other as best as they can on the lesson learned.
2. have an exercise book, Homework book and note book.
3. have geometric instruments and scientific calculator.
4. worked exercises and Homework and check their answers to gain practice with every lesson.
5. do their own research on learned lessons or lessons to be learned next time.

Effective tips for slow learners

Mathematics may be challenging for a slow learner, but not impossible. Slow learners also want to learn mathematics, but due to lack of learning ability they are not able to learn faster. The following are some techniques which can help slow learners:

1. Slow learners need more time to understand any problem or to find out the answer. Give extra time to slow learners. This will increase their confidence. Do not pressurise learners to perform on time beyond their ability. This will only decrease confidence.
2. Slow learners need extra attention. With a small learner's group, you can effectively respond to each learner.
3. Environment is more potent than willpower. Create a fun environment for learners. Use new learning techniques, especially for slow learners. Teacher can provide mathematics games and activities to learners.
4. Build a helpful environment for learners. Encourage learners to ask questions and let them feel free to ask for any help.
5. Most of the slow learners face difficulty to understand the

new concepts. Try to relate the new concepts with previous concepts. This will help them to catch the new concepts relatively fast.

6. One of the best ways to teach maths to all learners is to explain its concepts using real life examples.
7. Whenever possible, provide opportunities to show them their work. Let the learners teach you about mathematics. This will help learners to reduce mathematics fear.
8. Because slow learners need more time to understand the concepts, frequent reviewing can help them out. Reviewing mathematics concepts time to time will allow them to master the maths concepts.
9. Slow learners tend to have lack of confidence, if you pressurise them for time management or anything, this will only reduce their confidence.
10. Slow learners tend to have low confidence. Low confidence impedes anyone's learning ability. If you reward them time to time, this will help them to raise their confidence.

Extension knowledge and ideas for teachers

The following are the most important principles in mathematics teaching.

Principle 1: Let it make sense

Let us strive to teach for understanding of mathematical concepts and procedures, the “why” something works, and not only the “how”.

The “how” something works is often called procedural understanding; the learner knows how to work or solve a linear equation. It is often possible to learn the “how” mechanically without understanding why something works. Procedures learned this way are often forgotten very easily.

The relationship between the “how” and the “why” - or between

procedures and concepts - is complex. One doesn't always come totally before the other, and it also varies from learner to learner. Try alternating the instruction; teach how to solve a linear equation, and let the learner practice. Then explain why it works.

As a teacher, don't totally leave a topic until the learner knows both "how" and understands the "why".

The teacher can often test a learner's understanding of a topic by asking him/her "Tell me an example of where linear equation is used in daily life."

Principle 2: Remember the goals

Teacher must:

- ④ cover the curriculum by the end of school year.
- ④ make sure the learners have a lot formative and summative assessments.

Generally, teacher must:

- ④ enable the learners to understand information around us.
- ④ prepare learners for further studies in mathematics.
- ④ let learners see some beauty of mathematics and learn them to like it.

Principle 3: Know tools

First of all, of course comes a black or white board or paper — something to write on, then we have pencils, compass, protractor, ruler, eraser.... and the book the teacher is using.

Then we have computer software, interactive activities, animated lessons and such. There are workbooks, fun books, work texts, books, and online tutorials.

The teacher has to start somewhere, probably with the basics, and then add to his/ her "toolbox" little by little as you have opportunity. It's important to learn how to use any tool that the teacher might acquire.

Basic tools:

- The board and/or paper to write on. Essential. Easy to use.
- The learners' book and teacher's guide.
- The extras:
- Computer and projector.
- Internet connection.

If a computer lab is available at the school, the teacher can show the learners how ICT is used in mathematics. For example;

- writing mathematical expression using Microsoft Office Word or other software tools like Math-Type.
- sketching a function in Cartesian plane using Microsoft Office Excel.
- determine the mean, standard deviation, variance,... of a set of data using Microsoft Office Excel formulas.
- finding the limit and derivative of a function using MATLAB software...

Principle 4: Living and Loving Mathematics

Mathematics teachers have to ensure that they;

- use maths often in daily life.
- like mathematics.
- love mathematics.
- are happy to teach mathematics.

Some ideas for the teacher:

- let it make sense. This alone can usually make quite a difference and learners will stay interested.
- read through some fun maths books. Get to know some interesting maths topics besides just schoolbook arithmetic. There are lots of story books (maths readers) that teach maths concepts.
- consider including some maths history if you have the time.
- when you use maths in your daily life, explain how you're doing it, and include the children if possible. Figure it out together.

Additional activities

Research activities

Activity 1

Make research in advance in the library about Sets of numbers (natural numbers, integers, rational numbers and irrational numbers).

Activity 2

Discuss the importance and necessity of linear equations and inequalities and how it takes place in the trade.

Activity 3

Discuss the importance and necessity of a quadratic equation and a quadratic inequality and how it takes place in Finance problems, Economics problems, Physics.

Activity 4

Model or interpret the problems related to polynomial functions.

Activity 5

Make research about the importance and use of matrices for example in Physics, Economics, Entrepreneurship, Sports, ..., and report the findings.

Activity 6

Use the letters from your proper words and create your own words, e.g: use letters of "MISSISSIPPI", without prior instructions, to create news words.

Other activities

Activity 7

Place the sixteen squares in an envelope. Divide learners into groups (groups of three work well). Give each group an envelope of squares, and instruct them to match equivalent expressions to create one large square, lining up equivalent values.

Learners will review and learn common equivalents and will be better prepared to deal comfortably with trigonometric functions in more advanced studies. If a group seems to be having difficulty, suggest identifying one of the corner squares to get started.

Activity 8

Imagine that you have boarded an airplane. The rows are numbered from 1 to 30, and there are six seats per row, three on each side of the aisle. Seats in each row are labeled A through F. Using that information,

- How many seats are in the airplane?
- What are your chances of sitting in row number 7?
- What are your chances of sitting in a window seat?
- What are your chances of sitting in an "A" seat?
- What are your chances of sitting in an even-numbered row?

Learners will be better prepared to deal comfortably with combinatorial.

Activity 9

Learners are given a task of sitting 3 men and 4 women at random in a row. In groups, they discuss about the probability that all the men are seated together then they give feedback.

Learners will be better prepared to deal comfortably with probability.

Activity 10

Imagine you are a professional mathematician and you are working on developing a mathematical model to describe the dynamics of a City. You first have to identify all the variables (quantities that vary) and constants (quantities that stay the same) playing a role in that City.

Make a list of all the 'players' or 'elements' in this setting. Some examples are: the car park, the hawkers or the number of shops on the first floor.

Listed below are some more examples of 'players' or 'elements' in this context. Between this list and your own examples, decide which are variables (with quantities that vary) and which are constants (with quantities that stay the same). Will any of these be both? If so, what would this depend on?

Consider the number of:

- police women and men who work at the police department that is in charge of security at the complex.
- car parks.
- people employed by the municipal corporation that is in charge of civic maintenance of the complex.
- parking lot attendants.
- hawkers.
- escalators.
- shop owners whose shop is on the first floor.
- restaurant owners on the ground floor.
- electricity supply companies.
- visitors who desire to purchase a laptop.

Identify variables and constants in the real-life situation of the City.

Learners will be better prepared to deal comfortably with linear equations.

Activity 11

The following equations each show the relationship between household income per week (x) and household expenditure on a particular good per week (y):

1. $y = 100 + 0.3x$
2. $y = 200 - 0.15x$
3. $y = 25$
4. $y = -200 + 0.05x$

Answer the following questions relating to equations (1)-(4).

- a) What are these equations called by Economists?
- b) To what sort of good do you think that each equation relates? Explain your answers.
- c) In each case, calculate weekly expenditure on the good for a household earning 1000 per week.
- d) In each case, where applicable, find the income level at which expenditure equals zero.

Learners will be better prepared to deal comfortably with linear equations.

Activity 12

Draw a square on board or paper, and draw one diagonal into it. Make the sides of the square to be, say, 5 units. Then make the picture to be a right triangle by wiping out the two sides of square. How can you find the length of the longest side of the triangle?

Learners will be better prepared to deal comfortably with quadratic equations.

General Methodology

Follow the following three steps when teaching any lesson.

Introduction

Reviews previous lesson through asking the learners some questions. If there is no previous lesson ask them pre-knowledge questions on the day lesson.

Body of the lesson

Give an activity to learners that will be done in groups or individually. Invite one or more groups for presentation of their work to other groups. If the activity is individual ask one or more learners to present his/her work to others. After activities capture the main points from the presentation of the learners and summarize them.

Conclusion

Ask learners what did they learn in day lesson. Request learners to do exercises in their respective groups. Request learners to correct exercises on chalkboard and give them individual evaluation. Remember to give homework to the learners. Give them two home works: one for the lesson of the day and another which will be activity for the next lesson.



Unit 1

Fundamentals of Trigonometry

Aim

Use trigonometric circle and identities to determine trigonometric ratios and apply them to solve related problems.

Objectives

By the end of this unit, the learners will:

- ➊ define sine, cosine, and tangent (cosecant, secant and cotangent) of any angle – know special values.
- ➋ convert radians to degree and vice versa.
- ➌ use trigonometric identities.
- ➍ apply trigonometric formulae in real world problems.

Vocabulary

Trigonometry, radian, grade, sine, cosine, secant, cosecant, tangent and cotangent.

Contents

1 Trigonometric concepts

Recommended teaching time: 9 periods

This section introduces the conversion of angles in their units of measurements (degrees, radians and grades). It looks at trigonometric ratios, trigonometric number of an angle and trigonometric identities.

$$\frac{D}{180} = \frac{R}{\pi} = \frac{G}{200}, \text{ where } D \text{ stands for degree, } R \text{ for radians, } G \text{ for}$$

grades and $\pi = 3.14\dots$

In a right triangle

$$\sin \alpha = \frac{\text{opposite side}}{\text{hypotenuse}}, \cos \alpha = \frac{\text{adjacent side}}{\text{hypotenuse}}, \tan \alpha = \frac{\text{opposite}}{\text{adjacent}}$$

$$\csc \alpha = \frac{\text{hypotenuse}}{\text{opposite}} = \frac{1}{\sin \alpha}, \sec \alpha = \frac{\text{hypotenuse}}{\text{adjacent}} = \frac{1}{\cos \alpha} \text{ and } \cot \alpha = \frac{\text{adjacent}}{\text{opposite}} = \frac{1}{\tan \alpha}$$

2 Triangle and applications

Recommended teaching time: 6 periods

This section introduces the sine and cosine rule and their applications.

The cosine law says that

$$\begin{cases} a^2 = b^2 + c^2 - 2bc \cos A \\ b^2 = a^2 + c^2 - 2ac \cos B \\ c^2 = a^2 + b^2 - 2ab \cos C \end{cases}$$

The sine law is

$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C} \text{ or } \frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$$

Materials, Methodology, Answers to activities and exercises

1 Trigonometric Concepts

Activity 1 Page 2

Materials

Manila paper if not sheets of paper or notebook, Markers or pens,
Instruments of geometry


Methodology

To form a group of at least four learners and facilitate them during this activity.

To check if each group is rotating the given vector correctly on the manila paper (or sheet of paper).

Invite one group for representation of its work to other group.


Answers




Answers to Exercise 1 Page 6

1.


a)




b)




c)



d)




e)



740° and -340° are co terminal to 20°


2.

a)




40° is in first quadrant

b)



-235° is in second quadrant

c)



280° is in fourth quadrant

Activity 2 Page 6**Materials**

Notebook, pens, scientific calculator

Methodology

This is a pairing activity. Facilitate every learner during this activity.

Get different answers from learners and emphasize on conversion.

Answers

$$1. \frac{80}{3} \qquad 2. \frac{2480}{9} \qquad 3. \pi \qquad 4. \frac{3\pi}{2}$$

Answers to Exercise 2 Page 10

$$1. \frac{11}{20}\pi \text{ radians, } 198^\circ \qquad 2. \frac{62\pi}{9} \text{ radians, } \frac{12400}{9} \text{ grades}$$


$$3. 72^\circ \qquad 4. 5^\circ 36' 00''$$

Activity 3 Page 10**Materials**

Note book, Pens, Instruments of geometry

Methodology

Group work and guide learners during this activity of drawing a right triangle and show different ratios in that triangle.

Answers

The longest side is called the hypotenuse.

Angle	$\frac{\textit{opposite side}}{\textit{hypotenuse}}$	$\frac{\textit{adjacent side}}{\textit{hypotenuse}}$	$\frac{\textit{opposite side}}{\textit{adjacent side}}$
A	$\frac{a}{c}$	$\frac{b}{c}$	$\frac{a}{b}$
B	$\frac{b}{c}$	$\frac{a}{c}$	$\frac{b}{a}$
C	$\frac{c}{c} = 1$	$\frac{0}{c} = 0$	$\frac{c}{0}$ does not exist

Angle	$\frac{\textit{opposite side}}{\textit{hypotenuse}}$	$\frac{\textit{adjacent side}}{\textit{hypotenuse}}$	$\frac{\textit{opposite side}}{\textit{adjacent side}}$
A'	$\frac{a'}{c'}$	$\frac{b'}{c'}$	$\frac{a'}{b'}$
B'	$\frac{b'}{c'}$	$\frac{a'}{c'}$	$\frac{b'}{a'}$
C'	$\frac{c'}{c'} = 1$	$\frac{0}{c'} = 0$	$\frac{c'}{0}$ does not exist

From Thales' theorem: $\frac{a}{c} = \frac{a'}{c'}$, $\frac{b}{c} = \frac{b'}{c'}$, $\frac{c}{c} = 1 = \frac{c'}{c'}$

For both triangle, the ratio

- Opposite side to the considered angle and hypotenuse is the same
- Adjacent side and hypotenuse is the same
- Opposite side to the considered angle and adjacent side is the same.

Answers to Exercise 3 Page 14

$$\csc B = \frac{15}{9} = \frac{5}{3}$$

$$\sec B = \frac{15}{12} = \frac{5}{4}$$

$$\cot B = \frac{12}{9} = \frac{4}{3}$$

$$\csc A = \frac{15}{12} = \frac{5}{4}$$

$$\sec A = \frac{15}{9} = \frac{5}{3}$$

$$\cot A = \frac{9}{12} = \frac{3}{4}$$

$$\csc C = 1$$

$\sec C$ does not exist

$$\cot C = 0$$

Activity 4 Page 14


Materials

Note book, Pens and calculator

Methodology

Group work and Questioning for facilitating learners during this activity and developing brainstorming.


Answers



From the diagram

$$\sin 45^\circ = \frac{1}{\sqrt{2}} = \frac{\sqrt{2}}{2}, \quad \cos 45^\circ = \frac{1}{\sqrt{2}} = \frac{\sqrt{2}}{2}$$

$$\tan 45^\circ = \frac{1}{1} = 1$$



From $\triangle OAC$,

$$\sin 60^\circ = \frac{\sqrt{3}}{2}, \quad \cos 60^\circ = \frac{1}{2}$$

$$\tan 60^\circ = \sqrt{3}, \quad \csc 60^\circ = \frac{2}{\sqrt{3}} = \frac{2\sqrt{3}}{3},$$

$$\sec 60^\circ = 2,$$

$$\cot 60^\circ = \frac{1}{\sqrt{3}} = \frac{\sqrt{3}}{3},$$

From $\triangle OAC$,

$$\sin 30^\circ = \frac{1}{2}, \quad \cos 30^\circ = \frac{\sqrt{3}}{2}, \quad \tan 30^\circ = \frac{\sqrt{3}}{3}, \quad \csc 30^\circ = 2, \quad \sec 30^\circ = \frac{2\sqrt{3}}{3},$$

$$\cot 30^\circ = \sqrt{3}$$

Answers to Exercise 4 Page 16

- | | | |
|--------------------|-------------------|-------------------------|
| 1. 1 | 2. $\sqrt{3}$ | 3. $\frac{\sqrt{3}}{3}$ |
| 4. 0 | 5. does not exist | 6. 0 |
| 7. does not exist | 8. does not exist | 9. 0 |
| 10. does not exist | 11. 0 | |

Activity 5 Page 17

Materials

Note book, Pens, Instruments of geometry

Methodology

Group work , facilitating learners (**HINT: to construct trigonometric circle**) for this activity then questioning.

Answers

	Quadrant			
Value	<i>I</i>	<i>II</i>	<i>III</i>	<i>IV</i>
sin	+	+	-	-
cos	+	-	-	+
tan	+	-	+	-

Answers to Exercise 5 Page 17

- | | |
|--------------------|--------------------|
| a) Second quadrant | b) Second quadrant |
| c) First quadrant | d) First quadrant |
| e) Third quadrant | f) Second quadrant |

Activity 6 Page 18**Materials**

Note book, Pens and calculator

Methodology

Group work, brainstorming for this activity then questioning.

Answers

In this triangle,

$$\sin \theta = \frac{y}{r}, \quad \cos \theta = \frac{x}{r}, \quad \sin \alpha = \frac{x}{r}, \quad \cos \alpha = \frac{y}{r}$$

$$\left(\frac{x}{r}\right)^2 + \left(\frac{y}{r}\right)^2 = (\sin \theta)^2 + (\cos \theta)^2 = \sin^2 \theta + \cos^2 \theta$$

and then $\sin^2 \theta + \cos^2 \theta = 1$

$$\sin^2 \alpha + \cos^2 \alpha = \left(\frac{x}{r}\right)^2 + \left(\frac{y}{r}\right)^2 = 1$$

Answers to Exercise 6 Page 19

1. 1

2. 0

3. $\frac{1 + \tan a}{3 - \tan a}$

2 Triangle and Applications**Activity 7 Page 20****Materials**

Manila paper or Note book, markers or Pens

Methodology

Facilitate learners in Group work, then questioning .

Answers

1. $\cos A = \frac{AX}{b}$
2. $b^2 = h^2 + (AX)^2 \Rightarrow h^2 = b^2 - (AX)^2$
3. $a^2 = h^2 + (XB)^2 \Rightarrow h^2 = a^2 - (XB)^2$
 $h^2 = b^2 - (AX)^2$ and $h^2 = a^2 - (XB)^2$ gives $b^2 - (AX)^2 = a^2 - (XB)^2$
4. But $XB = c - AX$, then

$$b^2 - (AX)^2 = a^2 - (c - AX)^2$$

$$\Leftrightarrow b^2 - (AX)^2 = a^2 - (c^2 - 2cAX + (AX)^2)$$

$$\Leftrightarrow b^2 - (AX)^2 = a^2 - c^2 + 2cAX - (AX)^2$$

$$\Leftrightarrow b^2 + c^2 - 2cAX = a^2$$

But $\cos A = \frac{AX}{b} \Rightarrow AX = b \cos A$. Then

$$\Leftrightarrow b^2 + c^2 - 2cb \cos A = a^2$$

$$\Leftrightarrow a^2 = b^2 + c^2 - 2bc \cos A$$

Answers to Exercise 7 Page 21

1. 9.43 cm
2. $c = 21.7$ cm
3. $A = 12.7^\circ$, $B = 22.3^\circ$, $c = 14.4$ cm

Activity 8 Page 21**Materials**

Manila paper or Note book, markers or Pens

Methodology

Work in Group, then control participation of learners in answering this activity.

Answers

$$1. \sin B = \frac{h}{a}, \sin A = \frac{h}{b}.$$

$$h = a \sin B \text{ and } b \sin A = h, \text{ then } a \sin B = b \sin A \text{ or } \frac{a}{\sin A} = \frac{b}{\sin B}$$

$$2. \sin A = \frac{k}{c}, \sin C = \frac{k}{a}.$$

$$k = c \sin A \text{ and } k = a \sin C, \text{ then } c \sin A = a \sin C \text{ or } \frac{c}{\sin C} = \frac{a}{\sin A}$$

$$3. \text{ Now, } \frac{a}{\sin A} = \frac{b}{\sin B} \text{ and } \frac{c}{\sin C} = \frac{a}{\sin A}. \text{ This gives } \frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

Answers to Exercise 8 Page 23

$$1. 8.45 \text{ cm}$$

$$2. A = 56.8^\circ, C = 81.2^\circ \text{ or } A = 123.2^\circ, C = 14.8^\circ$$

$$3. 6.18 \text{ cm}$$

Answers to revision exercise Page 31

$$1. \text{ a) } \frac{\sin a(1+\cos a)}{(1-\cos a)(1+\cos a)} = \frac{\sin a(1+\cos a)}{\sin^2 a}$$

$$= \frac{1+\cos a}{\sin a}$$

$$\text{b) } \frac{1}{\cos^2 a} + \frac{1}{\sin^2 a} = \frac{\sin^2 a + \cos^2 a}{\cos^2 a \sin^2 a}$$

$$= \frac{1}{\cos^2 a} \frac{1}{\sin^2 a}$$

$$= \sec^2 a \csc^2 a$$

c)

$$(\sec^2 a + \tan^2 a)(\sec^2 a - \tan^2 a) = (\sec^2 a + \tan^2 a) \left(\frac{1}{\cos^2 a} - \frac{\sin^2 a}{\cos^2 a} \right)$$

$$= (\sec^2 a + \tan^2 a) \left(\frac{1 - \sin^2 a}{\cos^2 a} \right)$$

$$= (\sec^2 a + \tan^2 a) \left(\frac{\cos^2 a}{\cos^2 a} \right)$$

$$= \sec^2 a + \tan^2 a$$

$$\text{d) } \sqrt{\frac{(1-\cos a)(1-\cos a)}{(1+\cos a)(1-\cos a)}} = \sqrt{\frac{(1-\cos a)^2}{\sin^2 a}} = \frac{1-\cos a}{\sin a}$$

2. $\tan \theta = 3.18$

3. $\cos \theta = -0.8$; $\tan \theta = -0.75$

4. $\cos 14^\circ = \sqrt{1 - \sin^2 14^\circ}$ or $\cos 14^\circ = \sin(90^\circ - 14^\circ) = \sin 76^\circ$

5. $x \approx 37.7$ 6. $p = 60^\circ$ 7. $h \approx 116.6$ 8. $4.12m$ 9. 7°

10. a) $88.6km$ b) $179.3km$ 11. $954km, 133^\circ$ 12. $76.5m/s$

13. 81.2189° 14. $117^\circ 39' 26''$ 15. $2^\circ 56'$ 16. 75.3°

Unit 2

Set of Real Numbers

Aim

Think critically using mathematical logic to understand and perform operations on the set of real numbers and its subsets using the properties of algebraic structures.

Objectives

By the end of this unit, the learners will:

- ① define a power, an exponential, a radical, a logarithm, the absolute value of a real number
- ② illustrate each property of a power, an exponential, a radical, a logarithm, the absolute value of a real number.
- ③ use logarithm and exponentials to model simple problems about growth, decay, compound interest, magnitude of an earthquake...

Vocabulary

Logarithm

Contents

1 Absolute value and its properties

Recommended teaching time: 3 periods

This section introduces the absolute value of a real number and properties of absolute value.

2 Powers and radicals

Recommended teaching time: 3 periods

This section introduces powers and radicals in set of real numbers and their properties.

3 Decimal logarithm

Recommended teaching time: 6 periods

This section looks at decimal logarithm, properties and applications.

Materials, Methodology, Answers to activities and exercises

1 Absolute Value and its Properties

Activity 1 Page 34


Materials

Manila paper or exercise books, markers or pens, Instruments of geometry.

Methodology

Facilitate learners in Group work, then questioning .

Answers



1. 8 units 2. 8 units 3. $\frac{1}{2}$ units 4. 13 units

Answers to Exercise 1 Page 36

1. -6 or 6 2. -1 3. -3 or 9
4. $\frac{-5}{2}$ or $\frac{3}{2}$ 5. 1 or 5

Activity 2 Page 36**Materials**

Notebook, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning .

Answers

1. 3 and 3 2. 15 and 15 3. 3 and 13

Answers to Exercise 2 Page 37

1. 5 2. 20 3. 28 4. -24 5. -2

2 Powers and Radicals**Activity 3 Page 37****Materials**

Notebook, pens and calculator.

Methodology

Facilitate learners in pairs, then questioning.

Answers

1.

Week	Dollars
One	$2=2$
Two	$2 \times 2 = 2^2 = 4$
Three	$2 \times 2 \times 2 = 2^3 = 8$
Four	$2 \times 2 \times 2 \times 2 = 2^4 = 16$
Five	$2 \times 2 \times 2 \times 2 \times 2 = 2^5 = 32$

2. $2^7 = 128, 2^{10} = 1024$

3. No, his parent will not agree with his suggestion. Allowance is very increasing at certain time.

Answers to Exercise 3 Page 40

1. x^6 2. $5x^2y^6$ 3. $2y$ 4. 0 5. $\frac{1}{4}$

Activity 4 Page 40

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. 9 2. 6 3. -3 4. 2

Answers to Exercise 4 Page 42

1. ab^2c 2. abc 3. $\frac{2}{3}$ 4. x 5. $\frac{xy^2}{2}$

Activity 5 Page 42

Materials

Note book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $4\sqrt{2}$ 2. $-\sqrt{3}$ 3. $\sqrt{6}$ 4. $\sqrt{3}$

Answers to Exercise 5 Page 43

1. $3\sqrt{5}$ 2. $2\sqrt{3}$ 3. $3\sqrt{7}$ 4. 12 5. $13\sqrt{5}$ 6. $2\sqrt{3}$

Activity 6 Page 43**Materials**

Note book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $\frac{\sqrt{2}}{2}$ 2. $\frac{2\sqrt{5}-\sqrt{15}}{10}$
 3. $\frac{-2+2\sqrt{6}}{5}$ 4. $\frac{-3-\sqrt{6}+\sqrt{10}+\sqrt{15}}{2}$

Answers to Exercise 6 Page 44

1. $\frac{5\sqrt{7}}{7}$ 2. $1-\sqrt{2}$ 3. $\frac{\sqrt{12}-\sqrt{18}-\sqrt{20}+\sqrt{50}}{4}$
 4. $\frac{6\sqrt{6}-8\sqrt{2}}{23}$ 5. $\frac{a\sqrt{d}-\sqrt{bd}}{d}$ 6. $\frac{-3\sqrt{3}+6\sqrt{6}-2\sqrt{2}+8}{7}$

3 Decimal Logarithm**Activity 7 Page 44****Materials**

Note book, pens and scientific calculator.

Methodology

Facilitate learners in pairs, then questioning.

Answers

- | | | |
|------|------|------|
| 1. 0 | 2. 1 | 3. 2 |
| 4. 3 | 5. 4 | 6. 5 |

Answers to Exercise 7 Page 47

- | | | |
|---------------|------------|------------|
| 1. a) $a > b$ | b) $a = b$ | c) $a < b$ |
| 2. a) 2.17 | b) 0.653 | c) 0.30 |
| 3. a) -2 | b) -1.62 | c) -1.176 |

Answers to revision exercise Page 48

- | | | |
|--|---|--------------------|
| 1. a) yz | b) $2a^3b^6$ | c) $2\sqrt{2}$ |
| 2. a) $\frac{3\sqrt{35} + \sqrt{14}}{14}$ | b) $2\sqrt{2} + 2\sqrt{5} + \sqrt{6} + \sqrt{15}$ | |
| c) $\frac{-2 - \sqrt{6} + \sqrt{10} + \sqrt{15}}{3}$ | | |
| 3. a) 1.08 | b) -0.35 | c) 0.56 |
| 4. a) \rightarrow iii | b) \rightarrow ii | c) \rightarrow i |
| 5. 96 | 6. 64 | |

Unit 3

Linear, Quadratic Equations and Inequalities

Aim

Model and solve algebraically or graphically daily life problems using linear and quadratic equations or inequalities.

Objectives

By the end of this unit, the learners will:

- solve equation of the first degree and second degree.
- solve inequality of the first degree and second degree.
- solve a system of linear equations.
- use equations and inequalities to solve word problems.
- apply equations and inequalities in real life problems.

Vocabulary

Parametre

Contents

1 Equations and inequalities in one unknown

Recommended teaching time: 3 periods

This section looks at the method used to solve equation and inequality of the first degree.

2 Simultaneous equations

Recommended teaching time: 7 periods

This section looks at the method used to solve simultaneous equations and second degree in one unknown.

3 Applications

Recommended teaching time: 3 periods

This section looks at application of equations in daily life.

Materials, Methodology, Answers to activities and exercises

1 Equations and Inequalities in One Unknown

Activity 1 Page 50

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

- | | | |
|--------|------|-------|
| 1. 4 | 2. 2 | 3. -3 |
| 4. -34 | 5. 3 | 6. 14 |

Answers to Exercise 1 Page 51

- | | | | | |
|------|------------------|-------------------|-------|--------|
| 1. 4 | 2. 0 | 3. 5 | 4. 15 | 5. -4 |
| 6. 5 | 7. $\frac{1}{2}$ | 8. $-\frac{7}{3}$ | 9. -1 | 10. 10 |

Activity 2 Page 51

Materials

Note book and pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

- $AB = 0 \Leftrightarrow A = 0$ or $B = 0$ Either $x+1=0$ or $x-1=0$
- $AB = 0 \Leftrightarrow A = 0$ or $B = 0$ Either $2x-3=0$ or $x=0$
- Cross product: $2(2x-3) = x$, with $x \neq 0$

Answers to Exercise 2 Page 52

- $S = \{-2, 5\}$
- $S = \left\{-\frac{9}{2}\right\}$
- $S = \left\{-8, -\frac{1}{2}\right\}$
- $S = \left\{\frac{47}{11}\right\}$

Activity 3 Page 53**Materials**

Note book and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- All numbers less than 5
- All positive numbers
- All numbers between -4 and 12
- All numbers less than or equal to 100

Answers to Exercise 3 Page 54

- $]-\infty, 9[$
- $]-\infty, 10[$
- $]-\infty, 5]$
- $\left] \frac{26}{3}, +\infty \right[$
- $[5, +\infty[$
- $]-\infty, 4[$
- $]-\infty, +\infty[$ or IR
- $\{ \}$
- $]-\infty, -11]$
- $]-3, +\infty[$

Activity 4 Page 54**Materials**

Note book and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

In each case, first construct the sign table. The solution will be given by interval showing negative values for $<$

Answers to Exercise 4 Page 56

- | | |
|--|--------------------------------------|
| 1. $] -\infty, -3[\cup] 3, +\infty[$ | 2. $\left[\frac{3}{4}, 1 \right]$ |
| 3. $] -\infty, -5[\cup] -1, 2[$ | 4. $\left] -\frac{4}{3}, -1 \right[$ |
| 5. $] -\infty, -2[\cup] 3, +\infty[$ | |

Activity 5 Page 56**Materials**

Note book, pens and instruments of geometry

Methodology

Facilitate learners in Group work, then questioning.

Answers

- | | |
|---|---|
| 1. $S = \{x \in \mathbb{R} : x > 4\}$ | 2. $S = \{x \in \mathbb{R} : x < 6\}$ |
|---|---|

Answers to Exercise 5 Page 59

- | | | |
|--|--|--------------|
| 1. $] -\infty, -2[\cup] 3, +\infty[$ | 2. $\left] -\infty, -\frac{9}{2} \right] \cup \left[\frac{3}{2}, +\infty \right[$ | 3. $] 0, 3[$ |
|--|--|--------------|

Activity 6 Page 59**Materials**

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

- Let x be the age of the son, then the age of father has $x + 30$ years old. Set $x + 30 - 5 = 4(x - 5)$ and then solve.

Here some learners can take x as the age of the father.

- Let x be the money Betty had originally. Set

$$x - \frac{x}{5} - \frac{1}{2}\left(x - \frac{x}{5}\right) - 7000 = 13000$$

Answers to Exercise 6 Page 61

- The two numbers are 8 and 17.
- The two numbers are 84 and 36.
- Length of the rectangle is 24 m and breadth of the rectangle is 12 m.
- Present age of Ron is 6 years and present age of Aaron is 1 year.
- Sam scored less than 3 goals, which means that Sam could have scored 0, 1 or 2 goals. Alex scored 3 more goals than Sam did, so Alex could have scored 3, 4, or 5 goals.
- His average speed running is greater than 13 km/h and his average speed cycling is greater than 26 km/h

2 Simultaneous equations in two unknown and equations of the second degree

Activity 7 Page 62

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$1. \begin{cases} x+y=12 & \times -1 \\ 2x+y=4 & \times 1 \end{cases} \Leftrightarrow \begin{cases} -x-y=-12 \\ 2x+y=4 \end{cases}$$

$$\underline{\hspace{10em}}$$

$$x = -8$$

$$2. \begin{cases} 3x-y=20 & \times 1 \\ -x+2y=4 & \times 3 \end{cases} \Leftrightarrow \begin{cases} 3x-y=20 \\ -3x+6y=12 \end{cases}$$

$$\underline{\hspace{10em}}$$

$$5y = 32$$

$$3. \begin{cases} x-2y=10 & \times 1 \\ 2x+y=14 & \times 2 \end{cases} \Leftrightarrow \begin{cases} x-2y=10 \\ 4x+2y=28 \end{cases}$$

$$\underline{\hspace{10em}}$$

$$5x = 38$$

There are many different possible numbers

Answers to Exercise 7 Page 64

- | | | |
|---|-----------------|---------------------------------------|
| 1. Infinity solutions | 2. $x = y = 0$ | 3. $x = 3, y = \frac{2}{3}$ |
| 4. $x = -\frac{1}{8}, y = \frac{15}{8}$ | 5. $x = y = -1$ | 6. $x = \frac{7}{3}, y = \frac{1}{3}$ |

Activity 8 Page 64

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $x = 5 + y$ and $5 + y + 2y = 6 \Leftrightarrow 5 + 3y = 6$
 2. $x = 10 - 2y$ and $-3(10 - 2y) + 2y = 12 \Leftrightarrow -30 + 8y = 12$
 3. $x = -10 - y$ and $4(-10 - y) + y = 0 \Leftrightarrow -40 - 3y = 0$
- Some learners can first find the value of y from any equation

Answers to Exercise 8 Page 66

- | | | |
|---|---------------------------------------|---------------------------------------|
| 1. Infinity solutions | 2. $x = y = 0$ | 3. $x = \frac{3}{2}, y = \frac{9}{2}$ |
| 4. $x = \frac{13}{4}, y = \frac{15}{4}$ | 5. $x = \frac{3}{5}, y = \frac{2}{5}$ | 6. $x = 1, y = 0$ |

Activity 9 Page 66

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

- | | | |
|------|-------|-------|
| 1. 0 | 2. 17 | 3. 25 |
|------|-------|-------|

Answers to Exercise 9 Page 69

- | | | |
|--|------------------------------|---|
| 1. $x = 2, y = 0$ | 2. $x = y = 1$ | 3. $x = \frac{19}{9}, y = \frac{4}{9}$ |
| 4. $x = -\frac{3}{8}, y = \frac{5}{8}$ | 5. $x = 1, y = -\frac{2}{3}$ | 6. $x = \frac{70}{13}, y = \frac{16}{13}$ |

Activity 10 Page 69

Materials

Note book, pens, instruments of geometry and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. For $3x + y = 10$

Let $x = 3$, then $y = 1$.


Let $y = 4$, then $x = 2$. We have $(3,1)$ and $(2,4)$

For $x - y = 2$

Let $x = 0$, then $y = -2$.

Let $y = 0$, then $x = 2$. We have $(0,-2)$ and $(2,0)$


2. Graph



3. The point of intersection is $(3,1)$


Answers to Exercise 10 Page 72

1. Graph




$x = 0, y = 1$

2. Graph



The two lines coincide. There is infinite number of solution

3. Graph



Parallel and distinct lines. No solution.

Activity 11 Page 73

Materials

Note book, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. Let x = cost per cat, y = cost per dog

$$\begin{cases} 164x + 24y = 4240 \\ x = 2y \end{cases}$$

Then solve the system

2. Let x = cost of water slide, y = cost of Ferris wheel

$$\begin{cases} 3x + 3y = 17.70 \\ 2x + 3y = 15.55 \end{cases}$$

Then solve the system

Answers to Exercise 11 Page 75

- There are 5 multiple choice questions.
There are 15 T/F questions.
- The small pitcher holds 2 cups of water.
The large pitcher holds 4 cups of water.
- 34
- The speed of the boat in still water is 12 miles/hour and the speed of the current is 9 miles/hour.

3 Quadratic Equations**Activity 12 Page 76****Materials**

Exercise books, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$y = -16x^2 + 1600$$

$$1000 = -16x^2 + 1600$$

$$-16x^2 = -600$$

$$x^2 = 37.5 \Rightarrow x = \pm 6.1$$

The jumper is in free fall for about 6.1s

Answers to Exercise 12 Page 77

- $\{-4, 2\}$
- $\{-1, 3\}$
- $\{-2, -1\}$
- $\left\{-\frac{\sqrt{77}}{6}, \frac{\sqrt{77}}{6}\right\}$

Activity 13 Page 77**Materials**

Exercise books, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning

Answers

$$\text{a) } y = ax^2 + bx + c, a \neq 0$$

$$y = ax^2 + bx + c, a \neq 0$$

$$\Leftrightarrow y = (ax^2 + bx) + c$$

$$\Leftrightarrow y = a \left[\left(x + \frac{b}{2a} \right)^2 - \frac{b^2}{4a^2} \right] + c$$

$$\Leftrightarrow y = a \left(x + \frac{b}{2a} \right)^2 - \frac{b^2}{4a} + c$$

$$\Leftrightarrow y = a \left(x + \frac{b}{2a} \right)^2 + \left(c - \frac{b^2}{4a} \right)$$

Hence $y = a \left(x + \frac{b}{2a} \right)^2 + \left(c - \frac{b^2}{4a} \right)$ if $a \neq 0$ as required

$$\text{b) From a) } 2x^2 - 7x - 4 = 0$$

$$\Leftrightarrow 2 \left(x^2 + \frac{7}{2} \right) - 4 = 0 \quad \Leftrightarrow 2 \left(x + \frac{7}{4} \right)^2 + \left(-4 - \frac{7^2}{8} \right) = 0$$

$$\Leftrightarrow 2 \left(x + \frac{7}{4} \right)^2 = \left(-4 - \frac{7^2}{8} \right) = 0$$

Answers to Exercise 13 Page 79

1. -8; 5

2. 4; 9

3. $-1\frac{1}{2}$; 2

4. -3; $1\frac{1}{3}$

Activity 14 Page 79**Materials**

Exercise books, Pens, Scientific calculator.

Methodology

In pairs, teacher facilitates learners in developing their critical thinking

Answers

- | | | |
|------------------------|-------------|--------------|
| 1. 2 and 2 | 2. 2 and 3 | 3. -3 and -4 |
| 4. 1 and $\frac{1}{2}$ | 5. -7 and 5 | |

Answers to Exercise 14 Page 83

- | | | |
|--|----------------------|--------------------|
| 1. $S = \{1, 11\}$ | 2. $S = \{-7, 5\}$ | 3. $S = \emptyset$ |
| 4. $S = \left\{\frac{1}{3}, 2\right\}$ | 5. $S = \{-11, 11\}$ | |

Activity 15 Page 83**Materials**

Exercise books, Pens, Scientific calculator.

Methodology

In group work, teacher facilitates learners in developing their critical thinking

Answers

- | | | |
|-------------------|-----------------------|--------------------|
| 1. $x^2 + 3x - 4$ | 2. $3x^2 - 21x + 30$ | |
| 3. $x^2 + 3x + 2$ | 4. $6x^2 - 66x + 144$ | 5. $x^2 - 4x - 12$ |

In each case the original form is the factor form

Answers to Exercise 15 Page 84

- | | | |
|-----------------|-------------------|-------------------|
| 1. $(x-8)(x-2)$ | 2. No factor form | 3. $(2x-1)(3x-1)$ |
| 4. $(x-1)(x+5)$ | 5. $(x+2)(4x-1)$ | |

Activity 16 Page 85

Materials

Exercise books, Pens

Methodology

In groups of two, teacher facilitates learners in developing their critical thinking

Answers

1. $u^2 - 2u + 2 = 0$
2. $6u^2 + 5u + 1 = 0$
3. $u^2 - 13u + 36 = 0$

Answers to Exercise 16 Page 86

1. $S = \{-3, -2, 2, 3\}$
2. $S = \{1, \sqrt[3]{6}\}$
3. $S = \{-3, -1, 1, 3\}$
4. $S = \{-6, -5, 5, 6\}$

Activity 17 Page 86

Materials

Exercise books, Pens, Scientific calculator.

Methodology

In group work, teacher facilitates learners in developing their critical thinking

Answers

$$\begin{aligned} (\sqrt{4+\sqrt{12}})^2 &= (\sqrt{x} + \sqrt{y})^2 \\ \Leftrightarrow 4 + \sqrt{12} &= x + 2\sqrt{xy} + y \\ \Leftrightarrow 4 + \sqrt{12} &= x + y + \sqrt{4xy} \\ \begin{cases} x + y = 4 \\ 4xy = 12 \end{cases} &\Rightarrow \begin{cases} x + y = 4 \\ xy = 3 \end{cases} \end{aligned}$$

We need two numbers such that their sum is 4 and their product is 3

$$\Rightarrow x = 3, y = 1 \text{ or } x = 1, y = 3$$

Answers to Exercise 17 Page 88

1. $\sqrt{5} - 1$

2. $1 + \sqrt{2}$

3. $\sqrt{2} + \sqrt{3}$

Activity 18 Page 88

Materials

Exercise books, Pens, Scientific calculator.

Methodology

In group work, teacher facilitates learners in developing their critical thinking

Answers

1. $\sqrt{x+8} = x+2 \Leftrightarrow x+8 = (x+2)^2$

2. $x+8 = x^2 + 4x + 4$

$$x^2 + 3x - 4 = 0$$

Either $x = 1$ or $x = -4$

3. We test these two values to the given equation. We see that -4 is a false solution and it must be deleted. The only solution is 1.

Answers to Exercise 18 Page 90

1. $S = \{162\}$

2. $S = \emptyset$

3. $S = \emptyset$

Activity 19 Page 90**Materials**

Exercise books, Pens, Scientific calculator.

Methodology

In group work, teacher facilitates learners in developing their critical thinking

Answers

$$1. \quad ax^2 + bx + c + \frac{b}{x} + \frac{a}{x^2} = 0 \quad 2. \quad a\left(x^2 + \frac{1}{x^2}\right) + b\left(x + \frac{1}{x}\right) + c = 0$$

$$3. \quad ay^2 + by + c - 2a = 0$$

Answers to Exercise 19 Page 92

$$1. \quad S = \left\{-1, \frac{1}{2}, 2\right\} \quad 2. \quad S = \left\{\frac{1}{3}, 1, 3\right\} \quad 3. \quad S = \left\{-2, -\frac{1}{2}, \frac{1}{3}, 3\right\}$$

4 Applications**Activity 20 Page 93****Materials**

Note book, pens.

Methodology

Facilitate learners for their research

Answers

1. Linear equations can be used in daily life in many different ways like:
 - In economics, supply and demand analysis
 - Linear motion
 - Balancing equation.

2. Quadratic equations are used in daily life like:

- Calculating areas
- Figuring out a profit
- In athletics
- Finding speeds and so on
- There are many different answers.

Answers to revision exercise Page 100

1. a) -19 b) 0 or -9 c) 9 d) 1
 e) 90 f) 1 g) 4 h) 3
2. a) $]-\infty, -1[$ b) $]1, \infty[$ c) $]-2, 0[$
 d. $]-\infty, -\frac{5}{3}[$ e) $]-\infty, -1[\cup]1, \infty[$ f) $]-\infty, -4[\cup]-1, \infty[$
 g) $]-\infty, -9[\cup]-1, 2[$
3. a) 7, 10 b) $\frac{-45 \pm \sqrt{2569}}{8}$ c) $5 \pm 2\sqrt{6}$
 d) $]-\infty, 2] \cup]5, \infty[$ e) $[\frac{1}{3}, \frac{1}{2}]$ f) \mathbb{R}
 g) \emptyset h) \emptyset i) \mathbb{R}
 j) $]-\infty, -1[\cup]2, 3]$ k) $-\infty, 2[\cup]3, +\infty[$
4. a) 30 b) $\frac{26}{3}$ c) -2 d. 1
 e) 3 f) 0 or 2 g) $-\frac{13}{8}$
5. a) $\pm \frac{\sqrt{2}}{2}$ b) 25 c) \emptyset d) $-\frac{1}{8}$ or 125

6. a) $\sqrt{2}-1$ b) $\sqrt{4}+\sqrt{3}$ c) $2\sqrt{2}-\sqrt{7}$

d) $2(\sqrt{2}+1)$ e) $\sqrt{6}-\sqrt{3}$

7. 18, 59

8. \$4, \$7

9. The number is 40 . The two parts are 15 and 25.

10. Robert: 10 years, his father: 40 years.

11. 25 and 30.

12. 39° and 51°

13. Each chair: \$125, each table: \$165.

14. The velocity is between 5 m/s and 15 m/s between 1 second and 3 seconds after it is thrown.

15. The width must be between 1 m and 7 m (inclusive) and the length is 8m width

16. 12 metres by 16 metres

17. -33 and -34

18. 1.5 metres

19. 9.75 metres on a side

Unit 4

Polynomial, Rational and Irrational functions

Aim

Use concepts and definitions of functions to determine the domain of rational functions and represent them graphically in simple cases and solve related problems...

Objectives

By the end of this unit, the learners will:

- demonstrate an understanding of operations on polynomials, rational and irrational functions, and find the composite of two functions.
- identify a function as a rule and recognize rules that are not functions.
- determine the domain and range of a function.
- construct composition of functions.
- find whether a function is even, odd, or neither.

Vocabulary

Domain of definition, odd function, even function.

Contents

1 Generalities on numerical functions

Recommended teaching time: 7 periods

This section looks at generalities on numerical function: domain, range, parity.

2 Applications

Recommended teaching time: 2 periods

This section looks at some applications of functions in daily life.

Materials, Methodology, Answers to activities and exercises

1 Generalities on numerical functions

Activity 1 Page 104

Materials

Exercise books and pens.

Methodology

Facilitate learners in pairs, then questioning.

Answers

$1 \rightarrow 3$ $2 \rightarrow 4$ $3 \rightarrow 2$
 $4 \rightarrow 5$ $5 \rightarrow 5$

Answers to Exercise 1 Page 108

1. The first two relations
2. $Domain = \{a, b, d, e\}$, $Codomain = \{1, 2, 3, 4, 5, 6, 7\}$, $Range = \{1, 2, 3, 4\}$
3. a) 8 b) 0 c) $2d + 4$ d) $a = -4$
4. We have been made one to many by colonialists, NDI UMUNYARWANDA is making us many to one

Activity 2 Page 109**Materials**

Exercise books, pens

Methodology

Facilitate learners in pairs, then questioning.

Answers

1. Polynomial function
2. Rational function
3. Irrational function

Activity 3 Page 111**Materials**

Note book, pens

Methodology

Facilitate learners in pairs, then questioning.

Answers

1. No value
2. 0
3. 1

Answers to Exercise 2 Page 111

1. $Domf = \mathbb{R}$
2. $Domf = \mathbb{R}$
3. $Domf = \mathbb{R} \setminus \{5\}$
4. $Domf = \mathbb{R} \setminus \{3,5\}$
5. $Domf = \mathbb{R}$

Activity 4 Page 112**Materials**

Exercise books, pens and calculator.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $]-\infty, -\frac{1}{2}[$ 2. None 3. $[-1, 2[$

Answers to Exercise 3 Page 115

1. $[2, +\infty[$ 2. $]-\infty, -6] \cup [1, +\infty[$
 3. $\mathbb{R} \setminus \{-4\}$ 4. $]-\infty, -5[\cup]5, +\infty[$ 5. $] -4, +\infty[$

Activity 5 Page 115

Materials

Exercise books, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $\frac{2(x^2 - 1)}{2x - 3}$ 2. $\frac{-2(x^2 - x - 2)}{2x - 3}$
 3. $\frac{x^2 + 2x + 1}{2x - 3}$ 4. $\frac{1}{2x - 3}$

Answers to Exercise 4 Page 119

1. $2x^3 + 8x - 5$ 2. $6x^5 - 13x^4 + 28x^3 - 30x^2 + 25x - 12$
 3. $[-\frac{3}{2}, +\infty[$ 4. $] -4, +\infty[$
 5. $2x^3 + 4x^2 - 9x - 6$

Activity 6 Page 120**Materials**

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answer

1. $f(-x) = x^2 - 2x + 3, -f(x) = -x^2 - 2x - 3, f(-x) \neq -f(x), f(-x) \neq f(x)$
2. $f(-x) = \sqrt[3]{-x^3 - x} = -\sqrt[3]{x^3 + x}, -f(x) = -\sqrt[3]{x^3 + x}, f(-x) = -f(x)$
3. $f(-x) = \frac{x^2 - 3}{x^2 + 1}, -f(x) = \frac{-x^2 + 3}{-x^2 + 1}, f(-x) = f(x)$

Answers to Exercise 5 Page 122

1. Neither odd nor even
2. Neither odd nor even
3. Odd
4. Even
5. Neither odd nor even

Activity 7 Page 122**Materials**

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answer

1. $3x^2 - 1$
2. $3(3x^2 + 4x + 1)$

Answers to Exercise 6 Page 124

1. $(f \circ g)(x) = -3, (g \circ f)(x) = 2$

2. $(f \circ g)(x) = 72x^2 + 6x - 3, (g \circ f)(x) = 12x^2 + 6x - 18$

3. $(f \circ g)(x) = 72x^2 + 6x - 3, (g \circ f)(x) = 12x^2 + 6x - 18$

Activity 8 Page 124

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answer

1. $x = y - 1$

2. $x = \frac{y+2}{3}$

3. $x = \frac{y+3}{2y+1}$

Answers to Exercise 7 Page 126

1. $\frac{x-2}{5}$

2. $\frac{-x-2}{7}$

3. $\frac{2x+1}{x+2}$

2 Applications

Activity 9 Page 127

Materials

Exercise book and pens.

Methodology

Facilitate learners for their research.

Answers

Polynomials and functions are used in different ways in daily life:

- ⊛ Polynomials are used to graph curves.
- ⊛ Business people also use polynomials to model markets.
- ⊛ Functions are important in calculating medicine, building structures

Answers to revision exercise Page 130

1. a and d

2. a) (iii) b) (i) c) (iii) d) (ii)

3. a) 14 b) 50 c) 2 d) 11 e) $3t^2 + 2$

4. a) 21 b) $-\frac{5}{3}$ c) $\frac{\sqrt[3]{5}+2}{\sqrt[3]{5}}$ d) $\frac{\pi+1}{\pi-1}$ e) $\frac{a}{a-2}$

5. a) does not exist b) -8 c) $\frac{1}{3}$ d) $\frac{10}{31}$
 e) doesn't exist

6. -3 7. 1 or $-\frac{3}{2}$

8. $a=1, b=-1, g(-4)=17$

9. a) $\{y: 0 \leq y \leq 7\}$ one to one b) $\{y: 0 \leq y \leq 9\}$ many to one

c) $\{y: 0 < y \leq 1\}$ one to one d) $\{y \in \mathbb{R}: y \neq 0\}$ one to one

10. (a) $]-\infty, 3[\cup]3, +\infty[$ b) $]-\infty, -\frac{7}{5}[\cup]-\frac{7}{5}, +\infty[$

c) $]-\infty, -\sqrt{3}] \cup [\sqrt{3}, +\infty[$ d) $]-\infty, -2] \cup [1, +\infty[$ e) $]-\infty, +\infty[$

f) $]-\infty, +\infty[$ g) $]-\infty, -3[$ h) $[5, +\infty[$

i) $]-\infty, +\infty[$ j) $]-\infty, -3] \cup [2, +\infty[$

11. a) $]-\infty, +\infty[$ b) $]-\infty, -5[\cup]-5, 3[\cup]3, +\infty[$
 c) $]-\infty, \frac{1}{2}]$ d) $[-3, 4]$ e) $[\frac{1}{3}, +\infty[$
 f) $[-2, -1] \cup]1, +\infty[$ g) $]-2, 1] \cup]4, +\infty[$
12. -6 13. -3
14. a) $x^3 + 2x^2 - x - 2$ b) $x^3 + 4x^2 - 3x - 2$ c) $x^5 + 2x^4 - 5x^3 + 2x$
15. a) odd b) neither c) odd
 d) odd e) even f) odd
 g) even
16. a) $(f \circ g)(x) = 216, (g \circ f)(x) = 6$
 b) $(f \circ g)(x) = 1024x^{10} + 3584x^8 + 4992x^6 + 34,$
 $(g \circ f)(x) = 4x^{10} - 8x^9 + 4x^8 - 24x^5 + 24x^4 + 39$
 c) $(f \circ g)(x) = x^{12} + 4x^9 + 4x^6 - 5,$
 $(g \circ f)(x) = x^{12} - 6x^{10} + 40x^6 - 96x^2 - 63$
17. a) $\frac{-x-2}{9}$ b) $\frac{5x-2}{x+1}$ c) $\frac{2x-9}{3x-1}$

Unit 5

Limits of Polynomial, Rational and Irrational functions

Aim

Evaluate correctly limits of functions and apply them to solve related problems.

Objectives

By the end of this unit, the learners will:

- calculate limits of certain elementary functions.
- apply informal methods to explore the concept of a limit including one sided limits.
- solve problems involving continuity.
- use the concepts of limits to determine the asymptotes to the rational and polynomial functions.

Vocabulary

Limit, continuity, asymptote.

Contents

1 Concepts of limits

Recommended teaching time: 3 periods

This section looks at the method used to evaluate the limit of a given function algebraically and graphically.

2 Indeterminate cases

Recommended teaching time: 3 periods

This section looks at generalities and the methods used to remove the indeterminate cases such as $\frac{0}{0}, \frac{\infty}{\infty}, 0 \cdot \infty, \infty - \infty$.

3 Applications

Recommended teaching time: 3 periods

This section looks at some applications of limits: continuity of a function and asymptotes.

Materials, Methodology, Answers to activities and exercises

1 Concepts of limits

Activity 1 Page 134

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.


Answers

Lesotho is completely surrounded by South Africa. Swaziland is surrounded by South Africa and Mozambique.

Answers to Exercise 1 Page 136

1. San Marino, a state surrounded by Italy.
Vatican City, a state forming part of Rome, thereby surrounded by Italy.
2. $(-6, 0)$, $(-7, -1)$, $(-6, -4)$. There are many possible answers (all open intervals containing -5)

3. No. Because no small dist on the circle around any point of the circle
4. The following plane is a neighborhood of points p , q and r .



Activity 2 Page 136

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $\frac{3}{4}$
2. 2
3. 98

Answers to Exercise 2 Page 138

1. 2
2. -8
3. 1
4. -8
5. 12

Activity 3 Page 139

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. 1.8 2. 1.9 3. 1.99 4. 2.15
5. 2.03 6. 2.003

Answers to Exercise 3 Page 141

1. 7 2. 1 3. 0 4. Does not exist

Activity 4 Page 141**Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. a) -65.6 b) -99 c) -199
 d) 201 e) 101 e) 67.6
2. a) $+\infty$ b) $-\infty$ c) indeterminate
 d) $-\infty$ e) $-\infty$ f) $+\infty$
 g) indeterminate

Answers to Exercise 4 Page 147

1. $\frac{1}{2}$ 2. 0 3. ∞
4. $\lim_{x \rightarrow -4^-} \frac{x+1}{x+4} = +\infty$, $\lim_{x \rightarrow -4^+} \frac{x+1}{x+4} = -\infty$
5. $\lim_{x \rightarrow 3^-} \frac{x^2+2x+1}{x-3} = -\infty$, $\lim_{x \rightarrow 3^+} \frac{x^2+2x+1}{x-3} = +\infty$

Activity 5 Page 147**Materials**

Exercise books, pens

Methodology

Facilitate learners in pairs, then questioning.

Answers

1. 1

2. 2

The limit at 1 does not exist since one sided limits are not equal.

Answers to Exercise 5 Page 150

1. 2

2. Does not exist

3. $\lim_{x \rightarrow -1^-} h(x) = -\infty$, $\lim_{x \rightarrow -1^+} h(x) = +\infty$,

$$\lim_{x \rightarrow 1^-} h(x) = -\infty, \lim_{x \rightarrow 1^+} h(x) = +\infty,$$

$$\lim_{x \rightarrow -\infty} h(x) = 1, \lim_{x \rightarrow +\infty} h(x) = 1$$

Activity 6 Page 151**Materials**


Exercise books, pens, instruments of geometry and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1.



The curve of $h(x) = 5$ lies between other two curves and the three curves meet at the same point $(0, 5)$

$$\lim_{x \rightarrow 0} f(x) = \lim_{x \rightarrow 0} g(x) = \lim_{x \rightarrow 0} h(x) = 5$$

2. a) -3, -3

b) 0, -1, -1

c) -2, 5, $-\frac{2}{5}$

d) 1, 6, 6

e) 289, 289

A constant can be moved through a limit sign,

Limit of sum is the sum of limits,

Limit of quotient is the quotient of limits, provided that the denominator is not zero,

Limit of a power is the power of limit.

Answers to Exercise 6 Page 154

1. 0

2. a) 3

b) -5832

3. a) $\infty - \infty$ is indeterminate form not zero

$$\text{b) } \lim_{x \rightarrow 0^+} \left(\frac{1}{x} - \frac{1}{x^2} \right) = \lim_{x \rightarrow 0^+} \frac{x-1}{x^2}$$

x	$-\infty$	0	1	$+\infty$
$x-1$		$-$	0	$+$
x^2	$+$	0	$+$	
$\frac{x-1}{x^2}$	$-$	\parallel	$-$	$+$

Hence, $\lim_{x \rightarrow 0^+} \left(\frac{1}{x} - \frac{1}{x^2} \right) = -\infty$

2 Indeterminate cases

Activity 7 Page 155

Materials

Exercise books, pens.

Methodology

Facilitate learners in pairs, then questioning.

Answers

a) $x-1$ b) $x-2$

Answers to Exercise 7 Page 157

1. $+\infty$ 2. $-\infty$ 3. 20

Activity 8 Page 157

Materials

Exercise books, pens

Methodology

Facilitate learners in pairs, then questioning.

Answers

a) $\sqrt{x^2 - 2} - 3$ b) $\sqrt{x - 2} + 1$

Answers to Exercise 8 Page 161

1. $\lim_{x \rightarrow 4^-} \frac{\sqrt{x^2 - 6} - 10}{x - 4} = +\infty, \lim_{x \rightarrow 4^+} \frac{\sqrt{x^2 - 6} - 10}{x - 4} = -\infty$

2. -1

3 Applications

Activity 9 Page 161

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

a) 4 b) 4

$f(2)$ and $\lim_{x \rightarrow 2} f(x)$ exist and are equal.

Answers to Exercise 9 Page 167

1. The function is not continuous at $x = -3$ and $x = 5$
2. $k = 6$
3. $a = -1, b = 1$

Activity 10 Page 167**Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. 9, 4 2. 3

Answers to Exercise 10 Page 170

1. Eliminable discontinuity
2. Jump discontinuity
3. Discontinuity of second kind
4. Jump discontinuity
5. No point of discontinuity

Activity 11 Page 170**Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $a = -1, b = 1$ 2. $a = -3, b = -2$ 3. $a = -3, b = -2$

Answers may vary.

Answers to Exercise 11 Page 172

Consider the given interval and apply theorem

Activity 12 Page 172

Materials

Exercise books, pens.

Methodology

Facilitate learners in pairs, then questioning.

Answers


As x increases or decreases the curve comes closer and closer to the line B. As x approaches 3 from the right or from the left, the curve comes closer and closer to the line A.

Answers to Exercise 12 Page 187

1. Horizontal asymptote: $y = 1$, vertical asymptotes: $x = -1$, $x = 0$
2. Horizontal asymptote: $y = 0$
3. Vertical asymptote: $x = \frac{9}{4}$, oblique asymptote: $y = \frac{1}{4}x + \frac{21}{16}$
4. No asymptote
5. Horizontal asymptote: $y = 3$, vertical asymptotes: $x = -2$, $x = 2$

Answers to revision exercise Page 191

1. $-\frac{1}{2}$ 2. 2 3. 2 4. $\frac{1}{2}$
 5. 8 6. 1 7. 4 8. 2
 9. Does not exist 10. -6
 11. $\lim_{x \rightarrow 2^-} f(x) = \lim_{x \rightarrow 2^+} f(x) = f(2)$. The given function is continuous at $x = 2$
 12. 0
 13. $x = 1$



14. $\lim_{x \rightarrow 0^-} f(x) = \lim_{x \rightarrow 0^+} f(x) = f(0)$. The given function is continuous at $x = 0$
 $\lim_{x \rightarrow 1^-} f(x) = \lim_{x \rightarrow 1^+} f(x) = f(1)$. The given function is continuous at $x = 1$
 15. Removable discontinuity at $x = 4$
 16. Discontinuity of the second kind at $x = -2$
 17. Discontinuity of the first kind at $x = 3$
 18. Vertical asymptote $x = a$
 19. No asymptotes

20. Vertical asymptote $x=1$, oblique asymptotes $y=-x-\frac{1}{2}$ and $y=x+\frac{1}{2}$
21. Vertical asymptote $x=0$
22. Vertical asymptote $x=2$, oblique asymptote $y=2x+2$
23. Vertical asymptote $x=-1$, oblique asymptote $y=x+1$
24. Vertical asymptote $x=2$, oblique asymptote $y=x+\frac{1}{2}$
25. Vertical asymptote $x=\frac{5}{3}$, horizontal asymptote $y=\frac{2}{3}$
26. No asymptotes
27. Vertical asymptote $x=0$, oblique asymptote $y=ax$
28. Vertical asymptotes $x=1$ and $x=-1$, horizontal asymptote $y=2$
29. Vertical asymptote $x=a$
30. Oblique asymptote $y=\frac{x}{2}-\frac{1}{2}$
31. Vertical asymptote $x=\frac{1}{2}$
32. Horizontal asymptotes: $y=-1$ and $y=1$
33. Horizontal asymptotes: $y=0$ and $y=-1$, vertical asymptote $x=0$

Unit 6

Differentiation of Polynomial, Rational and Irrational functions

Aim

Use the gradient of a straight line as a measure of rate of change and apply this to line tangent and normal to curves in various contexts and use the concepts of differentiation to solve and interpret related rates and optimization problems in various contexts.

Objectives

By the end of this unit, the learners will:

- ① use properties of derivatives to differentiate polynomial, rational and irrational functions.
- ② use first principles to determine the gradient of the tangent line to a curve at a point.
- ③ apply the concepts of and techniques of differentiation to model, analyze and solve rates or optimization problems in different situations.

Materials

Instrument of geometry, scientific calculator.

Vocabulary

Differentiation, derivative.

Contents

1 Concepts of derivative of a function

Recommended teaching time: 3 periods

This section introduces the concepts of derivative of a function at point.

2 Rules of differentiation

Recommended teaching time: 3 periods

This section looks at rules of differentiation:

- Multiplication with a scalar
- Product
- Inverse of a function
- Composite function,...
- Sum or difference
- Quotient
- Power

It also introduces the successive derivatives and chain rule.

3 Applications

Recommended teaching time: 3 periods

This section looks at some applications of derivatives: tangent and normal lines, rate of change, critical points, extrema, extreme value theorem, Fermat theorem, variation and concavity of a function, Rolle's Theorem and L'Hôpital's Rule.

Materials, Methodology, Answers to activities and exercises

1 Concepts of derivative of a function

Activity 1 Page 194

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. $\frac{y_1 - y_0}{x_1 - x_0} = \frac{f(x_1) - f(x_0)}{x_1 - x_0}$

2. Q will coincide with P

3. $m_{\tan} = \lim_{x \rightarrow x_0} \frac{f(x_1) - f(x_0)}{x_1 - x_0}$

4. $m_{\tan} = \lim_{h \rightarrow 0} \frac{f(x_0 + h) - f(x_0)}{h}$

Answers to Exercise 1 Page 1961. 1 2. 12 3. $8x - 1$ 4. $8x + 3$ 5. 0**Activity 2 Page 197****Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. 4, 0 2. 3, 1

Answers to Exercise 2 Page 1981. Not differentiable at 1 2. Not differentiable at 2
3. Not differentiable at 0 4. Not differentiable at 4
5. 0**2 Rules of differentiation****Activity 3 Page 200****Materials**

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$\begin{aligned}
 1. \quad f'(x) &= \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h} \\
 &= \lim_{h \rightarrow 0} \frac{c - c}{h} \\
 &= 0
 \end{aligned}$$

$$\begin{aligned}
 2. \quad f'(x_0) &= \lim_{x \rightarrow x_0} \frac{x^n - x_0^n}{x - x_0} = \lim_{x \rightarrow x_0} \frac{(x^{n-1} + x^{n-2}x_0 + \dots + x_0^{n-1})(x - x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} (x^{n-1} + x^{n-2}x_0 + \dots + x_0^{n-1}) \lim_{x \rightarrow x_0} \frac{(x - x_0)}{x - x_0} \\
 &= (x_0^{n-1} + x_0^{n-2}x_0 + \dots + x_0^{n-1})x' \\
 &= (x_0^{n-1} + x_0^{n-1} + \dots + x_0^{n-1})x' \\
 &= nx_0^{n-1}x' = nx_0^{n-1} \quad (1) \text{ as we have } n \text{ terms}
 \end{aligned}$$

Answers to Exercise 3 Page 203

1. 0

2. $3x^2 + 6x + 3$

3. $\frac{4x+1}{2\sqrt{2x^2+x-2}}$

Activity 4 Page 203**Materials**

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

1.

$$\begin{aligned}
 (cf)'(x_0) &= \lim_{x \rightarrow x_0} \frac{(cf)(x) - (cf)(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{cf(x) - cf(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{c[f(x) - f(x_0)]}{x - x_0} \\
 &= c \lim_{x \rightarrow x_0} \frac{f(x) - f(x_0)}{x - x_0} \\
 &= cf'(x_0)
 \end{aligned}$$

$$(cf)' = cf'$$

2

$$\begin{aligned}
 (f \cdot g)'(x_0) &= \lim_{x \rightarrow x_0} \frac{(f \cdot g)(x) - (f \cdot g)(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{f(x)g(x) - f(x_0)g(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{f(x)g(x) - f(x_0)g(x) + f(x_0)g(x) - f(x_0)g(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{(f(x) - f(x_0))g(x) + f(x_0)(g(x) - g(x_0))}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{(f(x) - f(x_0))g(x)}{x - x_0} + \lim_{x \rightarrow x_0} \frac{f(x_0)(g(x) - g(x_0))}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{(f(x) - f(x_0))}{x - x_0} \lim_{x \rightarrow x_0} g(x) + \lim_{x \rightarrow x_0} f(x_0) \lim_{x \rightarrow x_0} \frac{(g(x) - g(x_0))}{x - x_0} \\
 &= f'(x_0)g(x_0) + f(x_0)g'(x_0) \\
 &= (f'g + fg')(x_0)
 \end{aligned}$$

$$(f \cdot g)' = f'g + fg'$$

Answers to Exercise 4 Page 206

1. $3x^2 - 4x + 6$ 2. $8x - 17$ 3. $15x^2 - 20x$ 4. 6

Activity 5 Page 206

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$\begin{aligned} (f \pm g)'(x_0) &= \lim_{x \rightarrow x_0} \frac{(f \pm g)(x) - (f \pm g)(x_0)}{x - x_0} \\ &= \lim_{x \rightarrow x_0} \frac{f(x) \pm g(x) - f(x_0) \mp g(x_0)}{x - x_0} \\ &= \lim_{x \rightarrow x_0} \frac{f(x) - f(x_0)}{x - x_0} \pm \lim_{x \rightarrow x_0} \frac{g(x) - g(x_0)}{x - x_0} \\ &= f'(x_0) \pm g'(x_0) \\ (f \pm g)' &= f' \pm g' \end{aligned}$$

Answers to Exercise 5 Page 207

1. $-8x + 7$ 2. $750x^5 - 105x^4$ 3. $96x^3 - 6x^2$

Activity 6 Page 207

Materials

Exercise books, pens.

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$\begin{aligned}
 1. \quad \left(\frac{1}{f}\right)'(x_0) &= \lim_{x \rightarrow x_0} \frac{\left(\frac{1}{f}\right)(x) - \left(\frac{1}{f}\right)(x_0)}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{\frac{1}{f(x)} - \frac{1}{f(x_0)}}{x - x_0} \\
 &= \lim_{x \rightarrow x_0} \frac{f(x_0) - f(x)}{f(x)f(x_0)(x - x_0)} \\
 &= \lim_{x \rightarrow x_0} \frac{f(x_0) - f(x)}{(x - x_0)} \lim_{x \rightarrow x_0} \frac{1}{f(x)f(x_0)} \\
 &= -\lim_{x \rightarrow x_0} \frac{f(x) - f(x_0)}{(x - x_0)} \lim_{x \rightarrow x_0} \frac{1}{f(x)f(x_0)} \\
 &= -f'(x_0) \frac{1}{f(x_0)f(x_0)} \\
 &= \frac{-f'(x_0)}{[f(x_0)]^2}
 \end{aligned}$$

$$\begin{aligned}
 2. \quad \left(\frac{1}{f}\right)' &= \frac{-f'}{f^2} \\
 \left(\frac{f}{g}\right)' &= \left(f \frac{1}{g}\right)' \\
 &= f' \frac{1}{g} + f \left(\frac{1}{g}\right)' \\
 &= \frac{f'}{g} + f \left(-\frac{g'}{g^2}\right) \\
 &= \frac{f'}{g} - \frac{fg'}{g^2} \\
 &= \frac{f'g - fg'}{g^2} \\
 \left(\frac{f}{g}\right)' &= \frac{f'g - fg'}{g^2}
 \end{aligned}$$

Answers to Exercise 6 Page 210

1. $\frac{18x^5 + 12x^3 + 6}{2x^2 + 4x + 1} - \frac{(3x^6 + 3x^4 + 6x - 9)(4x + 4)}{(2x^2 + 4x + 1)^2}$
2. $\frac{-3x^2 - 4x}{(x^3 + 2x^2 + 6)}$

Activity 7 Page 210

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

- | | | |
|-------------------|-------------|-------------|
| 1. $x^2 + 5x - 3$ | 2. $2x + 5$ | 3. $2x + 3$ |
| 4. $2x + 5$ | 5. 1 | 6. $2x + 5$ |

Results in 2. and 6. are the same.

Answers to Exercise 7 Page 211

- | | | |
|------|--------|-----------------|
| 1. 2 | 2. x | 3. $4x^3 + 12x$ |
| 4. 0 | 5. 0 | |

Activity 8 Page 212

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

- | | |
|----------------------------------|------------------------------------|
| 1. $6x^5 + 5x^4 + 9x^2 - 4x + 1$ | 2. $30x^4 + 20x^3 + 18x - 4$ |
| 3. $120x^3 + 60x^2 + 18$ | 4. $360x^2 + 120x$ 5. $720x + 120$ |

Answers to Exercise 8 Page 214

- | | |
|-------------------------|------|
| 1. $3360x^3$ | 2. 0 |
| 3. $\frac{-6}{(x-2)^2}$ | 4. 0 |

3 Applications of differentiation**Activity 9 Page 214****Materials**

Exercise books, pens, calculator and instrument of geometry

Methodology

Facilitate learners in Group work, then questioning.

Answers

- Solve $-x^2 + 3x = 3x$. You obtain $x = 0$ and also $y = 0$
Some learners can draw the two function in Cartesian plane to see the intersection.
- 3
- They are the same.

Answers to revision exercise Page 241

- | | | | |
|-------------------------------|---|----------|-------------|
| 1. a) $4x^3$ | b) $12x^2$ | c) $16x$ | d) $2x - 4$ |
| 2. a) $2x + y = -6$ | b) $y = -\frac{4}{3}$ | | |
| 3. a) ± 8 | b) $-\frac{16}{3}$ | | |
| 4. a) 5, 0 | b) $6x - 6, 6$ | | |
| c) $6x^2 - 10x + 4, 12x - 10$ | d) $3x^2 + \frac{2}{x^2}, 6x - \frac{4}{x^3}$ | | |

5. a) $(19.6 - 9.8t)ms^{-1}$, $-9.8ms^{-2}$ b) 2s c) 19.6m
 d) 0.586s, 3.41s

6. $a = -3$, $b = -12$

7. a) 3, -9 b) $\frac{32}{27}, 0$ c) $\frac{32}{27}, -\frac{49}{27}$

8. $8\frac{ft^2}{ft}$ 9. $16\pi\frac{m^3}{m}$

10. a) Increases on $\left(-\infty, -\frac{2}{\sqrt{3}}\right)$ and $\left(\frac{2}{\sqrt{3}}, +\infty\right)$, decreases on $\left(-\frac{2}{\sqrt{3}}, \frac{2}{\sqrt{3}}\right)$

b) Increases on $(-2, 0)$ and $(2, +\infty)$, decreases on $(-\infty, -2)$ and $(0, 2)$

c) Increases on $(-\infty, 3)$ and $(5, +\infty)$, decreases on $(3, 5)$

11. $\frac{1-y}{2+x}$

12. $\frac{2x+y}{3y^2-x}$

13. $\frac{2-2xy^3}{3x^2y^2+1}$

14. $-\frac{3x^2+2xy}{x^2+4y}$

15.
$$\begin{cases} y' = -14(3-2x)^6 \\ y'' = 168(3-2x)^5 \\ y''' = -1680(3-2x)^4 \end{cases}$$

16.
$$\begin{cases} y' = -12(x-1)^{-3} \\ y'' = 36(x-1)^{-4} \\ y''' = -144(x-1)^{-5} \end{cases}$$

17.
$$\begin{cases} y' = \frac{1}{3}x^{-\frac{2}{3}} + \frac{1}{3}x^{-\frac{4}{3}} \\ y'' = -\frac{2}{9}x^{-\frac{5}{3}} - \frac{4}{9}x^{-\frac{7}{3}} \\ y''' = \frac{10}{27}x^{-\frac{8}{3}} + \frac{28}{27}x^{-\frac{10}{3}} \end{cases}$$

18.
$$\begin{cases} y' = \frac{5}{2}x^{\frac{3}{2}} + \frac{3}{2}x^{-\frac{1}{2}} \\ y'' = \frac{15}{4}x^{\frac{1}{2}} - \frac{3}{4}x^{-\frac{3}{2}} \\ y''' = \frac{15}{8}x^{-\frac{1}{2}} + \frac{9}{8}x^{-\frac{5}{2}} \end{cases}$$

Unit 7

Vector Space of Real numbers

Aim

Determine the magnitude and angle between two vectors and to be able to plot these vectors and point out dot product of two vectors.

Objectives

By the end of this unit, the learners will:

- ④ find the norm of a vector.
- ④ calculate the scalar product of two vectors.
- ④ calculate the angle between two vectors.
- ④ apply and transfer the skills of vectors to other area of knowledge.

Vocabulary

Linear combination, dependent, independent, dimension

Contents

1 Euclidean vector space \mathbb{R}^2

Recommended teaching time: 6 periods

This section looks at the scalar product of two vectors, magnitude or modulus of a vector and angle between two vectors.

Materials, Methodology, Answers to activities and exercises

1 Euclidian space \mathbb{R}^2

Activity 1 Page 244

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in pair, then questioning.

Answers

a) 11

b) 0

Answers to Exercise 1 Page 247

1. a) 5

b) $\sqrt{10}$

2. a) $\overrightarrow{AB} = (-5, -1)$

b) $(-25, -16)$

c) $\|\overrightarrow{AB}\| = \sqrt{26}$, $\|\overrightarrow{w}\| = \sqrt{881}$ d) i) -7 ii) 59

Activity 2 Page 247


Materials

Exercise books, pens and instrument of geometry

Methodology

Facilitate learners in Group work, then questioning.

Answers



The vector drawn in a. is the adjacent side with length 3 and the vector drawn in b. is the hypotenuse. The other side is the opposite side with length 3.

$$\text{Then } \frac{\text{adjacent side}}{\text{hypotenuse}} = \frac{3}{3\sqrt{2}} = \frac{1}{\sqrt{2}} = \cos 45^\circ$$

$$\text{Also } \frac{\text{opposite side}}{\text{hypotenuse}} = \frac{3}{3\sqrt{2}} = \frac{1}{\sqrt{2}} = \cos 45^\circ$$

Answers to Exercise 2 Page 250

1. a) 53.84°

b) 40.43°

2. a) 3

b) $-\frac{4}{3}$

c) $\frac{-26\sqrt{3} + 48}{3}$

Answers to revision exercise Page 252

1. a) $\sqrt{153}$ b) $\sqrt{97}$ c) $2\sqrt{34}$
2. a) 29 b) -20 c) 4
3. $\frac{13\sqrt{290}}{290}$, 40.2° , 0.70rad
4. a) 16.3 degrees b) 36.9 degrees
5. a) 6 b) $-\frac{3}{2}$ c) -9 or 1

Unit 8

Matrices and Determinants of order two

Aim

Use matrices and determinants of order 2 to solve systems of linear equations and to define transformations of 2 dimensions.

Objectives

By the end of this unit, the learners will:

- define matrices.
- perform operations on matrices of order 2.
- determine the inverse of a matrix of order 2.

Materials

Manila papers, markers, calculator

Vocabulary

Transpose

Contents

1 Square matrices of order two

Recommended teaching time: 3 periods

This section introduces the concepts of matrices of order two: operations, inverse.

2 Determinants and inverse of matrices

Recommended teaching time: 6 periods

This section introduces determinant, inverse and application.

Materials, Methodology, Answers to activities and exercises**1 Square matrices of order two****Activity 1 Page 254****Materials**

Exercise books, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$\begin{array}{l} \text{cell phones} \\ \text{computers} \end{array} \left| \begin{array}{cc} (20 & 45) \\ (31 & 23) \end{array} \right.$$

Answers to Exercise 1 Page 255

There are many answers. Some of them

$$\begin{pmatrix} 1 & 3 \\ 0 & 1 \end{pmatrix}, \begin{pmatrix} 2 & 3 \\ -20 & 13 \end{pmatrix}, \begin{pmatrix} 1 & -3 \\ 8 & 0 \end{pmatrix}, \begin{pmatrix} 4 & 6 \\ 2 & 1 \end{pmatrix}, \begin{pmatrix} -11 & 3 \\ 37 & 18 \end{pmatrix}$$

Activity 2 Page 255**Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$1. \begin{pmatrix} 34 & 34 \\ 15 & 22 \end{pmatrix} \quad 2. \begin{pmatrix} 19 & -2 \\ 9 & 16 \end{pmatrix} \quad 3. \begin{pmatrix} 13 & 6 \\ 4 & 10 \end{pmatrix}, \begin{pmatrix} 7 & 3 \\ 10 & 4 \end{pmatrix}$$

Answers to Exercise 2 Page 260

$$1. \text{ a) } \begin{pmatrix} 5 & 0 \\ 3 & 2 \end{pmatrix} \quad \text{ b) } \begin{pmatrix} -9 & -12 \\ 1 & 2 \end{pmatrix} \quad \text{ c) } \begin{pmatrix} -12 & -6 \\ 8 & 4 \end{pmatrix}$$

$$\text{d) } \begin{pmatrix} -2 & 0 \\ 0 & -2 \end{pmatrix} \quad \text{e) } \begin{pmatrix} 294 & 147 \\ 98 & 49 \end{pmatrix}$$

$$2. \quad x = 5, y = -1, z = -1$$

$$\text{a) } A = \begin{pmatrix} 6 & -3 \\ 1 & 1 \end{pmatrix} \quad \text{b) } A' = \begin{pmatrix} 6 & 1 \\ -3 & 1 \end{pmatrix}$$

2 Determinants of matrices of order two

Activity 3 Page 260

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. 1 2. 0 3. 18 4. 114

Answers to Exercise 3 Page 263

1. 2 2. 0 3. 0 4. 2

Activity 4 Page 263

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$\frac{1}{18} \begin{pmatrix} 3 & -2 \\ -6 & 10 \end{pmatrix}$$

Answers to Exercise 4 Page 264

1. $A^{-1} = \begin{pmatrix} \frac{1}{2} & \frac{3}{2} \\ -\frac{1}{2} & -\frac{1}{2} \end{pmatrix}$ 2. No inverse 3. No inverse
4. $(A^t)^{-1} = \begin{pmatrix} \frac{1}{2} & -\frac{1}{2} \\ \frac{3}{2} & -\frac{1}{2} \end{pmatrix}$ 5. No inverse

Activity 5 Page 265**Materials**

Exercise books, pens

Methodology

Facilitate learners in pair, then questioning.

Answers

1. $\begin{pmatrix} 3 & 1 \\ 1 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 9 \\ 0 \end{pmatrix}$ 2. $\begin{pmatrix} 1 & -1 \\ 1 & 1 \end{pmatrix} \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 19 \\ 10 \end{pmatrix}$

Answers to Exercise 5 Page 266

1. $x=3, y=4$ 2. Infinity solution
3. $x=1, y=1$ 4. $x=2, y=0$

Answers to revision exercise Page 267

1. a) $x=-4, y=11$ b) $x=2, y=-1$ c) $x=5, y=19$
2. 4, -11 3. $-\frac{1}{2}$ or 3
4. a) $x=3, y=-2$ b) $x=1, y=-\frac{2}{3}$ c) $x=\frac{3}{2}, y=\frac{1}{2}$

Unit 9

Measures of Dispersion

Aim

Extend understanding, analysis and interpretation of data arising from problems and questions in daily life to include the standard deviation.

Objectives

By the end of this unit, the learners will:

- determine the measures of dispersion of a given statistical series.
- apply and explain the standard deviation as the more convenient measure of the variability in the interpretation of data.
- express the coefficient of variation as a measure of the spread of a set of data as a proportion of its mean.

Vocabulary

Variance, Standard deviation, Coefficient of variation

Contents

1 Variance

Recommended teaching time: 2 periods

Variance measures how far a set of numbers is spread out. A variance of zero indicates that all the values are identical. Variance is always non-negative: a small variance indicates that the data points tend to be very close to the mean and hence to each other, while a high variance indicates that the data points are very spread out around the mean and from each other.

2 Standard deviation

Recommended teaching time: 1 period

The standard deviation has the same dimension as the data, and hence is comparable to deviations from the mean. We define the **standard deviation** to be the square root of the variance.

3 Coefficient of variation

Recommended teaching time: 2 periods

The coefficient of variation measures variability in relation to the mean (or average) and is used to compare the relative dispersion in one type of data with the relative dispersion in another type of data.

4 Applications

Recommended teaching time: 1 period

A large standard deviation indicates that the data points can spread far from the mean and a small standard deviation indicates that they are clustered closely around the mean.

Standard deviation is often used to compare real-world data against a model to test the model.

Materials, Methodology, Answers to activities and exercises

1 Variance

Activity 1 Page 270

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

x	f	$x - \bar{x}$	$(x - \bar{x})^2$	$f(x - \bar{x})^2$
12	4	-4.875	23.76563	95.0625
13	2	-3.875	15.01563	30.03125
15	1	-1.875	3.515625	3.515625
19	4	2.125	4.515625	18.0625
21	5	4.125	17.01563	85.07813
	16			231.75

Answers to Exercise 1 Page 273

1. $\frac{81}{25}$ 2. 6 3. $\frac{308}{81}$ 4. $\frac{11}{25}$ 5. $\frac{38}{9}$

2 Standard deviation

Activity 2 Page 273

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

x	f	x^2	fx	fx^2
3	2	9	6	18
4	3	16	12	48
5	5	25	25	125
7	1	49	7	49
9	6	81	54	486
	17		104	726

Answers to Exercise 2 Page 276

$$1. \frac{3\sqrt{2}}{2}$$

$$2. \frac{2\sqrt{1224499}}{7}$$

$$3. \frac{4\sqrt{10}}{7}$$

$$4. \sqrt{2}$$

$$5. \frac{2\sqrt{34}}{7}$$

3 Coefficient of variation

Activity 3 Page 277

Materials

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

x	f	x^2	fx	fx^2
10	10	100	100	1000
14	2	196	28	392
16	14	256	224	3584
18	8	324	144	2592
20	6	400	120	2400
	40		616	9968

Answers to Exercise 3 Page 278

1. 54.51%
2. 20.79%
3. 55.12%
4. 22.22%
5. 43.92%

Unit 10

Elementary Probability

Aim

Use combinations and permutations to determine the number of ways a random experiment occurs.

Objectives

By the end of this unit, the learners will:

- ➊ determine the sample space of an experiment.
- ➋ explain different concepts relating to events.
- ➌ find probability of different events.
- ➍ determine probability of an event with an equiprobable sample space.

Materials

Manila papers, markers, deck of 52 playing cards, calculator

Vocabulary

Permutation, arrangement, factorial, combination, probability, sample space and event.

Contents

1 Permutations and arrangements

Recommended teaching time: 6 periods

This section introduces the concepts of permutations and arrangements. It looks at addition and multiplication principles.

2 Combinations

Recommended teaching time: 3 periods

This section looks at combinations of r unlike objects selected from n different objects. It also looks at binomial theorem and Pascal's triangle.

3 Concepts of probability

Recommended teaching time: 3 periods

Probability is the chance that something will happen-how likely it is that some event will happen. A random experiment is an experiment that, atleast theoretically, may be repeated as often as we want and whose outcome cannot be predicted, the roll of a die. Each time an experiment is repeated, an elementary outcome is obtained. The set of all elementary outcomes of a random experiment is called the sample space, which is denoted by Ω . Sample space may be discrete or continuous. An event is a set of elementary outcomes. That is, it is a subset of the sample space.

4 Properties and formulas

Recommended teaching time: 3 periods

The probability of an event $A \subset \Omega$, is a real number obtained by applying to A the function P defined by

$$P(A) = \frac{\text{number of favourable outcomes}}{\text{number of possible outcomes}} = \frac{\#A}{\#\Omega}$$

Addition probability law: $P(A \cup B) = P(A) + P(B) - P(A \cap B)$

Materials, Methodology, Answers to activities and exercises

1 Permutations and arrangements

Activity 1 Page 284

Materials

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

a) $AB_1C_1, AB_1C_2, AB_1C_3, AB_2C_1, AB_2C_2, AB_2C_3$

$AB_3C_1, AB_3C_2, AB_3C_3, AB_3C_1, AB_3C_2, AB_3C_3$

12 roads

b) H1, H2, H3, H4, H5, H6, T1, T2, T3, T4, T5, T6: 12 outcomes

Answers to Exercise 1 Page 288

1. 20

2. 2000000

Activity 2 Page 288

Materials

Exercise book and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- ① All possible different words from three letters A, B and C (not necessarily sensible):

ABC, ACB, BAC, BCA, CAB, CBA. Number of possible arrangements for three letters A, B and C is 6

- ⦿ All possible different arrangements:

ABCD, ABDC, ACBD, ACDB, ADBC, ADCB, BACD, BADC, BCAD, BCDA, BDAC, BDCA, CBAD, CBDA, CABD, CADB, CDAB, CDBA, DABC, DACB, DBAC, DBCA, DCAB, DCBA. Number of possible arrangements for four letters A, B, C and D is 24

Answers to Exercise 2 Page 290

1. a) 19! b) 17!3!
2. a) 60 b) 1

Activity 3 Page 290

Materials

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- ⦿ All possible different arrangements:

BOOM, BOMO, BMOO, OBOM, OMOB, OMBO, OBMO, OOMB, OOBM, MOOB, MOBO, MBOO. Number of possible arrangements is 12

- ⦿ All possible different arrangements:

CLASS, CLSAS, CLSSA, CSLSA, CSSLA, CSSAL, CALSS, CASLS, CASSL, CSLAS, CSASL, CSALS, LCASS, LCSSA, LCSAS, LACSS, LASCs, LASSC, LSCAS, LSACS, LSASC, LSSAC, LSSCA, LSCSA, ACLSS, ACSLS, ACSSL, ALCSS, ALSCS, ALSSC, ASSLC, ASSCL, ASCLS, ASLCS, ASLSC, ASCSL, SCLAS, SCALS, SCSAL, SCSLA, SCLSA, SCASL, SLCAS, SLCSA, SLACS, SLASC, SLSAC, SLSCA, SACLs, SACSL, SALCS, SALSC, SASLC, SASCL, SSACL, SSALC, SSLAC, SSLCA, SSCLA, SSCAL.

Number of possible arrangements is 60

Answers to Exercise 3 Page 292

1. 5040 2. $26!$ 3. 1260

Activity 4 Page 292**Materials**

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- There are 24 different ways.

Answers to Exercise 4 Page 294

1. 24 2. $10!$

Activity 5 Page 294**Materials**

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- You must pick one or the other but not both

Answers to Exercise 5 Page 297

1. $(3+15+60+360+360)$ or 798
 2. 4 3. 336

Activity 6 Page 298

Materials

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- ④ Selection: NOW, permutations:
NOW, NWO, ONW, OWN, WNO, WON
- ④ Selection: KOW, permutations:
KOW, KWO, OKW, OWK, WKO, WOK
- ④ Selection: KNW, permutations:
KNW, KWN, NKW, NWK, WKN, WNK
- ④ Selection: KNO, permutations: KNO, KON, NKO, NOK, OKN, ONK
In total, there are 24 possible permutations.

Answers to Exercise 6 Page 300

1. ${}^7P_4 = 840$ 2. 22 3. 7P_5 4. ${}^{26}P_{10}$

2 Combinations

Activity 7 Page 301

Materials

Exercise book, pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- ⦿ There are 18 groups

Answers to Exercise 7 Page 304

1. ${}^{10}C_4 \times {}^{12}C_2$ 2. ${}^9C_4 \times {}^{10}C_5$

Activity 8 Page 305**Materials**

Exercise book and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

$$(a+b)^2 = a^2 + 2ab + b^2$$

$$(a+b)^3 = a^3 + 3a^2b + 3ab^2 + b^3$$

$$(a+b)^4 = a^4 + 4a^3b + 6a^2b^2 + 4ab^3 + b^4$$

$$(a+b)^5 = a^5 + 5a^4b + 10a^3b^2 + 10a^2b^3 + 5ab^4 + b^5$$

Power	Coefficient of powers of a and b					Binomial expression
0	1					$(a+b)^0$
1	1	1				$(a+b)^1$
2	1	2	1			$(a+b)^2$
3	1	3	3	1		$(a+b)^3$
4	1	4	6	4	1	$(a+b)^4$

Answers to Exercise 8 Page 309

1. 240
2. 0
3. 9039811410
4. $x^7 + 28x^6 + 336x^5 + 2240x^4 + 8960x^3 + 21504x^2 + 28672x + 16384$
5. $8x^3 - 36x^2 + 54x - 27$

3 Concepts of probability

Activity 9 Page 310

Materials

Exercise books and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

1. a) 52, b) 4, c) 1
2. 1

Answers to Exercise 9 Page 315

1. c
2. d
3. d
4. a) Exhaustive: $X \cup Y \cup Z = \Omega$
b) Exhaustive: $X \cup Y \cup Z = \Omega$
c) Exhaustive: $X \cup Y \cup Z = \Omega$

4 Properties and formulas

Activity 10 Page 316

Materials

Exercise books and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- a) 11 b) $4, \frac{4}{11}$ c) $7, \frac{7}{11}$
- d) (i) Empty set
 (ii) $\{O, A, I, I, P, R, B, B, L, T, Y\}$
 (iii) $\{P, R, B, B, L, T, Y\}$
 (iv) $\{O, A, I, I\}$

Answers to Exercise 10 Page 318

1. a) $\frac{2}{11}$ b) $\frac{2}{11}$
2. a) $\frac{13}{19}$ b) $\frac{3}{19}$ c) $\frac{3}{19}$

Activity 11 Page 319**Materials**

Exercise books, pens and calculator

Methodology

Facilitate learners in Group work, then questioning.

Answers

- a) $\frac{2}{3}$ b) $\frac{2}{3}$

The two results are the same.

Answers to Exercise 11 Page 321

1. $\frac{5}{6}$ 2. $\frac{1}{2}$

Activity 12 Page 321

Materials

Exercise books and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- a) $\frac{1}{3}$ b) $\frac{2}{3}$ c) 0 d) 1 e) 1

Answers to Exercise 12 Page 323

1. $\frac{8}{15}$ 2. $\frac{11}{30}$

Activity 13 Page 323

Materials

Exercise books and pens

Methodology

Facilitate learners in Group work, then questioning.

Answers

- a) 1 b) 1
The two results are the same

Answers to Exercise 13 Page 325

- a) $\frac{3}{8}$ b) $\frac{5}{8}$ c) $\frac{1}{32}$

Answers to revision exercise Page 328

1. a) 144 b) 72
2. 216, 72, 108 3. 18 4. 10!
5. 8! 6. 24
7. a) 210 b) $\frac{1}{110}$ c) 600 d) 81
8. a) $n-1$ b) $(n+2)(n+1)$ c) $n(n^2+3n+1)$
9. 5040 10. 168
11. a. 240 b) 600
12. a. 81 b) 256
13. 36 14. 2522520
15. 151 a) 73 b) 78
- c) 13 d) 138
16. a) 462 b) 56 c) 20
17. 1260
18. a) 5 b) 85 c) 365
19. a) 126 b) 280
20. 480, 172800, 462, 425
21. a) $27 + 27x + 9x^2 + x^3$
 b) $125 + 150x + 60x^2 + 8x^3$
 c) $16 + 32x + 24x^2 + 8x^3 + x^4$
 d) $16 - 32x + 24x^2 - 8x^3 + x^4$
 e) $32y^5 + 80y^4x + 80y^3x^2 + 40y^2x^3 + 10yx^4 + x^5$
 f) $32x^5 - 240x^4y + 720x^3y^2 - 1080x^2y^3 + 810xy^4 - 243y^5$
 g) $x^4 - 4x^2 + 6 - \frac{4}{x^2} + \frac{1}{x^4}$ h) $x^5 - 10x^3 + 40x - \frac{80}{x} + \frac{80}{x^3} - \frac{32}{x^5}$
22. $1 + 12x + 66x^2 + 220x^3$ 23. $64x^5 + 160x^{-1} + 20x^{-7}$

24. 0, 1 (trivial) and 6
25. 2
26. 30.43168
27. $a^{10} - 30a^9x + 405a^8x^2 - 3240a^7x^3$
28. $1 + 10x + \frac{95}{2}x^2 + \frac{285}{2}x^3 + \frac{4845}{16}x^4$
29. $16, \frac{1}{8}$
30. a) ${}^{10}C_5 \times 3^5$ b) ${}^{12}C_8 \times 4^{10}$ c) ${}^6C_4 \times 3^2 \times 2^4$ d) $2^4(2 \times {}^{10}C_5 + {}^{10}C_6)$
31. a) 1.0937 b) 0.9860837 c) 0.9044 d) 973.9
32. a) 0.97980 b) 10.1980 c) 2.0199 d) 1.01943
- e) 2.05828
33. $1 - \frac{3}{2}x + \frac{15}{8}x^2 - \frac{51}{16}x^3, |x| < \frac{1}{2}$ 34. 2, -9, 29, -82
35. a) ${}^8C_3 \times 5^5 \times 3^3$ b) ${}^{-7}C_3 \times 7^4 \times 2^3$
36. a) 560 b) -590625 c) -720 d) -448
- e) 1966080 f) $-\frac{7}{144}$
37. $\pm \frac{2}{3}$ 38. ${}^{12}C_8 \times 4^4 \times x^8$ 39. -20
40. $\frac{3}{2}, \frac{1}{2}, \frac{1970}{1393}$ 41. All of above 42. Landing on red
43. Choose a letter at random from the word SCHOOL
44. Choosing a yellow jelly bean
45. Landing on a number less than 8
46. $\frac{9}{20}$ 47. $\frac{10}{21}$ 48. $\frac{1}{3}$ 49. $\frac{21}{46}$
50. $\frac{1}{221}$ 51. $\frac{3}{13}$
52. a) 0.5 b) 0.14 c) 0.07 d) 0.43
53. a) $\frac{1}{6}$ b) $\frac{5}{126}$